

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**2. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Physical activity</b>			
High Schools	104	63	55 - 69
Middle Schools	202	71	65 - 76
Junior/Senior High Schools	26	81	67 - 90
<b>All Schools</b>	<b>332</b>	<b>69</b>	<b>65 - 73</b>
<b>b. Nutrition</b>			
High Schools	104	60	52 - 67
Middle Schools	200	70	65 - 76
Junior/Senior High Schools	26	81	67 - 90
<b>All Schools</b>	<b>330</b>	<b>68</b>	<b>64 - 72</b>
<b>c. Tobacco-use prevention</b>			
High Schools	104	54	47 - 61
Middle Schools	198	62	56 - 67
Junior/Senior High Schools	26	77	62 - 87
<b>All Schools</b>	<b>328</b>	<b>60</b>	<b>56 - 64</b>
<b>d. Asthma</b>			
High Schools	101	45	37 - 52
Middle Schools	195	47	41 - 52
Junior/Senior High Schools	26	58	45 - 69
<b>All Schools</b>	<b>322</b>	<b>47</b>	<b>43 - 51</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**3. Percentage of schools that have a copy of district's wellness policy.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>Yes</b>			
High Schools	106	89	84 - 92
Middle Schools	205	87	83 - 90
Junior/Senior High Schools	26	92	79 - 97
<b>All Schools</b>	<b>337</b>	<b>88</b>	<b>85 - 90</b>
<b>No</b>			
High Schools	106	9	6 - 15
Middle Schools	205	11	8 - 15
Junior/Senior High Schools	26	4	1 - 15
<b>All Schools</b>	<b>337</b>	<b>10</b>	<b>8 - 13</b>
<b>District does not have wellness policy</b>			
High Schools	106	2	1 - 5
Middle Schools	205	1	1 - 3
Junior/Senior High Schools	26	4	1 - 16
<b>All Schools</b>	<b>337</b>	<b>2</b>	<b>1 - 3</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	109	91	86 - 94
Middle Schools	208	87	83 - 90
Junior/Senior High Schools	27	89	76 - 95
<b>All Schools</b>	<b>344</b>	<b>88</b>	<b>86 - 91</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	110	78	73 - 83
Middle Schools	206	76	72 - 80
Junior/Senior High Schools	27	81	71 - 89
<b>All Schools</b>	<b>343</b>	<b>77</b>	<b>74 - 80</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. School administration</b>			
High Schools	81	96	92 - 98
Middle Schools	151	96	93 - 98
Junior/Senior High Schools	21	100	NA
<b>All Schools</b>	<b>253</b>	<b>96</b>	<b>94 - 98</b>
<b>b. Health education teachers</b>			
High Schools	83	98	94 - 99
Middle Schools	150	81	76 - 85
Junior/Senior High Schools	22	91	76 - 97
<b>All Schools</b>	<b>255</b>	<b>87</b>	<b>84 - 90</b>
<b>c. Physical education teachers</b>			
High Schools	83	98	93 - 99
Middle Schools	148	95	92 - 97
Junior/Senior High Schools	21	86	68 - 94
<b>All Schools</b>	<b>252</b>	<b>95</b>	<b>93 - 97</b>
<b>d. Mental health or social services staff</b>			
High Schools	77	65	57 - 72
Middle Schools	142	44	38 - 50
Junior/Senior High Schools	20	45	27 - 63
<b>All Schools</b>	<b>239</b>	<b>51</b>	<b>46 - 55</b>
<b>e. Nutrition or food service staff</b>			
High Schools	81	74	66 - 81
Middle Schools	150	82	77 - 86
Junior/Senior High Schools	19	79	61 - 90
<b>All Schools</b>	<b>250</b>	<b>79</b>	<b>75 - 83</b>
<b>f. Health services staff (e.g., school nurse)</b>			
High Schools	82	83	76 - 88
Middle Schools	146	86	82 - 90
Junior/Senior High Schools	22	86	71 - 94
<b>All Schools</b>	<b>250</b>	<b>85</b>	<b>82 - 88</b>

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***

	N	Percent	95% Confidence Interval
<b>g. Maintenance and transportation staff</b>			
High Schools	78	33	26 - 41
Middle Schools	145	18	14 - 23
Junior/Senior High Schools	18	22	11 - 39
<b>All Schools</b>	<b>241</b>	<b>23</b>	<b>20 - 27</b>
<b>h. Student body</b>			
High Schools	78	68	59 - 76
Middle Schools	147	63	57 - 68
Junior/Senior High Schools	19	79	61 - 90
<b>All Schools</b>	<b>244</b>	<b>66</b>	<b>61 - 70</b>
<b>i. Parents or families of students</b>			
High Schools	77	67	60 - 74
Middle Schools	148	74	68 - 79
Junior/Senior High Schools	21	76	58 - 88
<b>All Schools</b>	<b>246</b>	<b>72</b>	<b>68 - 76</b>
<b>j. Community</b>			
High Schools	77	62	55 - 69
Middle Schools	146	51	46 - 57
Junior/Senior High Schools	18	78	61 - 89
<b>All Schools</b>	<b>241</b>	<b>57</b>	<b>52 - 61</b>
<b>k. Local health departments, agencies, or organizations</b>			
High Schools	77	56	47 - 64
Middle Schools	142	40	35 - 46
Junior/Senior High Schools	20	45	27 - 63
<b>All Schools</b>	<b>239</b>	<b>45</b>	<b>41 - 50</b>
<b>l. Faith-based organizations</b>			
High Schools	76	28	21 - 36
Middle Schools	142	10	7 - 14
Junior/Senior High Schools	19	10	4 - 26
<b>All Schools</b>	<b>237</b>	<b>16</b>	<b>13 - 19</b>

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>m. Businesses</b>			
High Schools	76	39	31 - 48
Middle Schools	142	20	16 - 25
Junior/Senior High Schools	20	25	13 - 43
<b>All Schools</b>	<b>238</b>	<b>27</b>	<b>23 - 31</b>
<b>n. Local government</b>			
High Schools	75	32	25 - 40
Middle Schools	141	21	16 - 26
Junior/Senior High Schools	19	26	14 - 44
<b>All Schools</b>	<b>235</b>	<b>25</b>	<b>21 - 29</b>

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**7. Percentage of schools that require school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Ethnic/racial minority youth at high risk</b>			
High Schools	109	44	37 - 51
Middle Schools	205	35	30 - 39
Junior/Senior High Schools	27	33	22 - 47
<b>All Schools</b>	<b>341</b>	<b>38</b>	<b>34 - 41</b>
<b>b. Youth who participate in drop-out prevention, alternative education, or GED programs</b>			
High Schools	109	48	41 - 54
Middle Schools	204	24	20 - 29
Junior/Senior High Schools	27	33	22 - 47
<b>All Schools</b>	<b>340</b>	<b>33</b>	<b>29 - 36</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	106	24	18 - 30
Middle Schools	200	12	9 - 17
Junior/Senior High Schools	27	26	15 - 41
<b>All Schools</b>	<b>333</b>	<b>17</b>	<b>14 - 21</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Attendance of students with HIV infection</b>			
High Schools	102	71	63 - 77
Middle Schools	201	61	56 - 66
Junior/Senior High Schools	25	68	52 - 80
<b>All Schools</b>	<b>328</b>	<b>65</b>	<b>60 - 69</b>
<b>b. Procedures to protect HIV-infected students and staff from discrimination</b>			
High Schools	100	78	71 - 84
Middle Schools	199	69	64 - 74
Junior/Senior High Schools	26	84	70 - 93
<b>All Schools</b>	<b>325</b>	<b>73</b>	<b>69 - 77</b>
<b>c. Maintaining confidentiality of HIV-infected students and staff</b>			
High Schools	100	81	74 - 86
Middle Schools	201	74	69 - 79
Junior/Senior High Schools	26	84	70 - 93
<b>All Schools</b>	<b>327</b>	<b>77</b>	<b>73 - 81</b>
<b>d. Worksite safety</b>			
High Schools	104	87	81 - 91
Middle Schools	201	79	74 - 83
Junior/Senior High Schools	26	88	75 - 95
<b>All Schools</b>	<b>331</b>	<b>82</b>	<b>79 - 85</b>
<b>e. Confidential counseling for HIV-infected students</b>			
High Schools	101	67	59 - 75
Middle Schools	199	59	54 - 64
Junior/Senior High Schools	26	73	58 - 85
<b>All Schools</b>	<b>326</b>	<b>63</b>	<b>59 - 67</b>
<b>f. Communication of the policy to students, school staff, and parents</b>			
High Schools	100	66	58 - 73
Middle Schools	197	61	56 - 66
Junior/Senior High Schools	26	81	65 - 90
<b>All Schools</b>	<b>323</b>	<b>64</b>	<b>60 - 68</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Adequate training about HIV infection for school staff</b>			
High Schools	101	76	69 - 82
Middle Schools	201	67	62 - 71
Junior/Senior High Schools	26	81	65 - 90
<b>All Schools</b>	<b>328</b>	<b>71</b>	<b>67 - 74</b>
<b>h. Procedures for implementing the policy</b>			
High Schools	102	75	68 - 81
Middle Schools	199	65	59 - 70
Junior/Senior High Schools	26	81	65 - 90
<b>All Schools</b>	<b>327</b>	<b>69</b>	<b>65 - 73</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**10. Percentage of schools that require all staff who teach health education topics to be certified, licensed, or endorsed by the state in health education.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Yes</b>			
High Schools	108	99	96 - 100
Middle Schools	201	71	66 - 75
Junior/Senior High Schools	27	89	76 - 95
<b>All Schools</b>	<b>336</b>	<b>81</b>	<b>78 - 84</b>
<b>b. No</b>			
High Schools	108	0	NA
Middle Schools	201	21	17 - 25
Junior/Senior High Schools	27	11	5 - 24
<b>All Schools</b>	<b>336</b>	<b>13</b>	<b>11 - 16</b>
<b>c. Not applicable</b>			
High Schools	108	1	0 - 4
Middle Schools	201	8	6 - 12
Junior/Senior High Schools	27	0	NA
<b>All Schools</b>	<b>336</b>	<b>5</b>	<b>4 - 8</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**11. Percentage of schools that require physical education for students in any of grades 6 through 12.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	107	87	82 - 91
Middle Schools	203	92	89 - 94
Junior/Senior High Schools	27	96	85 - 99
<b>All Schools</b>	<b>337</b>	<b>91</b>	<b>88 - 93</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**12. Percentage of all schools that taught a required physical education course in each of the following grades.**

	N	Percent	95% Confidence Interval
<b>a. Sixth grade</b>			
High Schools	NA	NA	1 - 23
Middle Schools	190	90	87 - 93
Junior/Senior High Schools	17	94	77 - 99
<b>All Schools</b>	<b>207</b>	<b>91</b>	<b>87 - 93</b>
<b>b. Seventh grade</b>			
High Schools	NA	NA	1 - 23
Middle Schools	194	91	88 - 94
Junior/Senior High Schools	26	92	80 - 97
<b>All Schools</b>	<b>220</b>	<b>91</b>	<b>88 - 94</b>
<b>c. Eighth grade</b>			
High Schools	NA	NA	1 - 23
Middle Schools	193	91	87 - 93
Junior/Senior High Schools	27	85	71 - 93
<b>All Schools</b>	<b>220</b>	<b>90</b>	<b>87 - 93</b>
<b>d. Ninth grade</b>			
High Schools	101	84	79 - 88
Middle Schools	18	11	4 - 27
Junior/Senior High Schools	27	89	82 - 94
<b>All Schools</b>	<b>146</b>	<b>76</b>	<b>71 - 80</b>
<b>e. Tenth grade</b>			
High Schools	96	33	27 - 41
Middle Schools	NA	NA	NA
Junior/Senior High Schools	25	36	24 - 51
<b>All Schools</b>	<b>121</b>	<b>34</b>	<b>28 - 41</b>
<b>f. Eleventh grade</b>			
High Schools	94	25	19 - 32
Middle Schools	NA	NA	NA
Junior/Senior High Schools	25	28	18 - 41
<b>All Schools</b>	<b>119</b>	<b>25</b>	<b>20 - 32</b>
<b>g. Twelfth grade</b>			
High Schools	94	25	19 - 32
Middle Schools	NA	NA	NA
Junior/Senior High Schools	25	28	18 - 41
<b>All Schools</b>	<b>119</b>	<b>25</b>	<b>20 - 32</b>

NA=Not available  
N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Enrollment in other courses</b>			
High Schools	88	19	13 - 27
Middle Schools	180	21	17 - 26
Junior/Senior High Schools	26	16	7 - 31
<b>All Schools</b>	<b>294</b>	<b>20</b>	<b>17 - 24</b>
<b>b. Participation in school sports</b>			
High Schools	89	10	6 - 16
Middle Schools	178	5	3 - 8
Junior/Senior High Schools	26	19	10 - 35
<b>All Schools</b>	<b>293</b>	<b>8</b>	<b>6 - 11</b>
<b>c. Participation in other school activities</b>			
High Schools	88	42	34 - 51
Middle Schools	178	30	26 - 35
Junior/Senior High Schools	26	39	28 - 51
<b>All Schools</b>	<b>292</b>	<b>35</b>	<b>31 - 39</b>
<b>d. Participation in community sports activities</b>			
High Schools	88	4	2 - 9
Middle Schools	179	2	1 - 4
Junior/Senior High Schools	26	0	NA
<b>All Schools</b>	<b>293</b>	<b>2</b>	<b>1 - 4</b>
<b>e. Religious reasons</b>			
High Schools	87	32	25 - 41
Middle Schools	178	39	34 - 45
Junior/Senior High Schools	25	48	33 - 63
<b>All Schools</b>	<b>290</b>	<b>38</b>	<b>34 - 42</b>
<b>f. Long-term physical or medical disability</b>			
High Schools	87	64	56 - 72
Middle Schools	179	81	76 - 85
Junior/Senior High Schools	26	81	67 - 90
<b>All Schools</b>	<b>292</b>	<b>76</b>	<b>72 - 80</b>
<b>g. Cognitive disability</b>			
High Schools	88	36	28 - 45
Middle Schools	176	35	29 - 40
Junior/Senior High Schools	25	28	18 - 41
<b>All Schools</b>	<b>289</b>	<b>35</b>	<b>30 - 39</b>

\*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>h. High physical fitness competency test score</b>			
High Schools	88	4	2 - 9
Middle Schools	178	1	0 - 3
Junior/Senior High Schools	26	0	NA
<b>All Schools</b>	<b>292</b>	<b>2</b>	<b>1 - 4</b>
<b>i. Participation in vocational training</b>			
High Schools	88	3	1 - 8
Middle Schools	178	2	1 - 4
Junior/Senior High Schools	26	0	NA
<b>All Schools</b>	<b>292</b>	<b>2</b>	<b>1 - 4</b>
<b>j. Participation in community service activities</b>			
High Schools	88	2	1 - 6
Middle Schools	177	2	1 - 4
Junior/Senior High Schools	26	0	NA
<b>All Schools</b>	<b>291</b>	<b>2</b>	<b>1 - 3</b>

\*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**14. Percentage of schools in which all staff who teach physical education are certified, licensed, or endorsed by the state in physical education.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Yes</b>			
High Schools	108	99	96 - 100
Middle Schools	205	95	92 - 96
Junior/Senior High Schools	27	89	77 - 95
<b>All Schools</b>	<b>340</b>	<b>96</b>	<b>94 - 97</b>
<b>b. No</b>			
High Schools	108	1	0 - 4
Middle Schools	205	5	3 - 7
Junior/Senior High Schools	27	7	3 - 19
<b>All Schools</b>	<b>340</b>	<b>4</b>	<b>3 - 6</b>
<b>c. Not Applicable</b>			
High Schools	108	0	NA
Middle Schools	205	0	0 - 2
Junior/Senior High Schools	27	4	1 - 15
<b>All Schools</b>	<b>340</b>	<b>1</b>	<b>0 - 2</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**15. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	109	85	80 - 90
Middle Schools	206	90	87 - 92
Junior/Senior High Schools	27	74	58 - 86
<b>All Schools</b>	<b>342</b>	<b>87</b>	<b>84 - 89</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**16. Percentage of schools that provide those who teach physical education with the following materials.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Goals, objectives, and expected outcomes for physical education</b>			
High Schools	109	96	93 - 98
Middle Schools	206	95	92 - 96
Junior/Senior High Schools	27	96	85 - 99
<b>All Schools</b>	<b>342</b>	<b>95</b>	<b>93 - 97</b>
<b>b. A chart describing the annual scope and sequence of instruction for physical education</b>			
High Schools	107	71	66 - 76
Middle Schools	205	62	57 - 67
Junior/Senior High Schools	26	62	47 - 75
<b>All Schools</b>	<b>338</b>	<b>65</b>	<b>61 - 68</b>
<b>c. Plans for how to assess student performance in physical education</b>			
High Schools	106	81	75 - 86
Middle Schools	204	80	76 - 84
Junior/Senior High Schools	26	77	64 - 86
<b>All Schools</b>	<b>336</b>	<b>80</b>	<b>77 - 83</b>
<b>d. A written physical education curriculum</b>			
High Schools	108	93	89 - 95
Middle Schools	204	85	81 - 89
Junior/Senior High Schools	26	88	74 - 95
<b>All Schools</b>	<b>338</b>	<b>88</b>	<b>85 - 90</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**17. Percentage of schools that offer opportunities for all students to participate in intramural activities or physical activity clubs.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	101	61	54 - 68
Middle Schools	191	60	55 - 66
Junior/Senior High Schools	26	54	40 - 68
<b>All Schools</b>	<b>318</b>	<b>60</b>	<b>56 - 64</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**18. Percentage of schools that have adopted a policy prohibiting tobacco use.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	107	100	NA
Middle Schools	203	99	97 - 99
Junior/Senior High Schools	27	100	NA
<b>All Schools</b>	<b>337</b>	<b>99</b>	<b>98 - 100</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**19 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Cigarettes</b>			
High Schools	104	99	96 - 100
Middle Schools	196	97	95 - 99
Junior/Senior High Schools	26	100	NA
<b>All Schools</b>	<b>326</b>	<b>98</b>	<b>97 - 99</b>
<b>b. Smokeless tobacco</b>			
High Schools	104	99	96 - 100
Middle Schools	196	97	95 - 99
Junior/Senior High Schools	26	100	NA
<b>All Schools</b>	<b>326</b>	<b>98</b>	<b>97 - 99</b>
<b>c. Cigars</b>			
High Schools	104	96	92 - 98
Middle Schools	196	96	93 - 98
Junior/Senior High Schools	26	100	NA
<b>All Schools</b>	<b>326</b>	<b>96</b>	<b>94 - 98</b>
<b>d. Pipes</b>			
High Schools	104	96	92 - 98
Middle Schools	196	96	93 - 98
Junior/Senior High Schools	26	100	NA
<b>All Schools</b>	<b>326</b>	<b>96</b>	<b>94 - 98</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**19 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Cigarettes</b>			
High Schools	103	93	88 - 96
Middle Schools	194	94	91 - 96
Junior/Senior High Schools	26	92	79 - 97
<b>All Schools</b>	<b>323</b>	<b>94</b>	<b>91 - 95</b>
<b>b. Smokeless tobacco</b>			
High Schools	103	93	88 - 96
Middle Schools	193	93	90 - 96
Junior/Senior High Schools	26	89	75 - 95
<b>All Schools</b>	<b>322</b>	<b>93</b>	<b>90 - 95</b>
<b>c. Cigars</b>			
High Schools	103	92	87 - 95
Middle Schools	193	93	89 - 95
Junior/Senior High Schools	26	92	79 - 97
<b>All Schools</b>	<b>322</b>	<b>93</b>	<b>90 - 94</b>
<b>d. Pipes</b>			
High Schools	102	92	87 - 95
Middle Schools	193	93	89 - 95
Junior/Senior High Schools	26	92	79 - 97
<b>All Schools</b>	<b>321</b>	<b>93</b>	<b>90 - 94</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**19 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Cigarettes</b>			
High Schools	102	93	88 - 96
Middle Schools	194	91	88 - 94
Junior/Senior High Schools	26	92	79 - 97
<b>All Schools</b>	<b>322</b>	<b>92</b>	<b>89 - 94</b>
<b>b. Smokeless tobacco</b>			
High Schools	102	90	85 - 94
Middle Schools	193	88	84 - 91
Junior/Senior High Schools	26	85	70 - 93
<b>All Schools</b>	<b>321</b>	<b>88</b>	<b>85 - 91</b>
<b>c. Cigars</b>			
High Schools	101	92	87 - 95
Middle Schools	193	90	86 - 93
Junior/Senior High Schools	25	92	79 - 97
<b>All Schools</b>	<b>319</b>	<b>91</b>	<b>88 - 93</b>
<b>d. Pipes</b>			
High Schools	101	92	87 - 95
Middle Schools	193	90	86 - 93
Junior/Senior High Schools	26	92	79 - 97
<b>All Schools</b>	<b>320</b>	<b>91</b>	<b>88 - 93</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**20 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. During school hours</b>			
High Schools	105	99	96 - 100
Middle Schools	196	98	96 - 99
Junior/Senior High Schools	26	100	NA
<b>All Schools</b>	<b>327</b>	<b>98</b>	<b>97 - 99</b>
<b>b. During non-school hours</b>			
High Schools	103	87	81 - 91
Middle Schools	188	90	87 - 93
Junior/Senior High Schools	26	77	63 - 86
<b>All Schools</b>	<b>317</b>	<b>88</b>	<b>85 - 90</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**20 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. During school hours</b>			
High Schools	105	92	87 - 96
Middle Schools	193	92	89 - 95
Junior/Senior High Schools	26	85	75 - 91
<b>All Schools</b>	<b>324</b>	<b>92</b>	<b>89 - 94</b>
<b>b. During non-school hours</b>			
High Schools	103	73	66 - 79
Middle Schools	189	76	72 - 80
Junior/Senior High Schools	26	42	29 - 56
<b>All Schools</b>	<b>318</b>	<b>72</b>	<b>69 - 76</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**20 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. During school hours</b>			
High Schools	105	92	86 - 95
Middle Schools	194	91	88 - 94
Junior/Senior High Schools	26	85	75 - 91
<b>All Schools</b>	<b>325</b>	<b>91</b>	<b>88 - 93</b>
<b>b. During non-school hours</b>			
High Schools	102	72	65 - 78
Middle Schools	186	72	67 - 76
Junior/Senior High Schools	26	46	32 - 60
<b>All Schools</b>	<b>314</b>	<b>69</b>	<b>66 - 73</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**21 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In school buildings</b>			
High Schools	105	99	96 - 100
Middle Schools	196	98	96 - 99
Junior/Senior High Schools	26	100	NA
<b>All Schools</b>	<b>327</b>	<b>98</b>	<b>97 - 99</b>
<b>b. Outside on school grounds, including parking lots and playing fields</b>			
High Schools	104	100	NA
Middle Schools	196	97	95 - 99
Junior/Senior High Schools	26	100	NA
<b>All Schools</b>	<b>326</b>	<b>98</b>	<b>97 - 99</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	105	99	96 - 100
Middle Schools	196	97	94 - 98
Junior/Senior High Schools	26	100	NA
<b>All Schools</b>	<b>327</b>	<b>98</b>	<b>96 - 99</b>
<b>d. At off-campus, school-sponsored events</b>			
High Schools	104	98	95 - 99
Middle Schools	196	94	91 - 96
Junior/Senior High Schools	26	96	84 - 99
<b>All Schools</b>	<b>326</b>	<b>95</b>	<b>93 - 97</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**21 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In school buildings</b>			
High Schools	105	98	95 - 99
Middle Schools	196	98	96 - 99
Junior/Senior High Schools	26	100	NA
<b>All Schools</b>	<b>327</b>	<b>98</b>	<b>97 - 99</b>
<b>b. Outside on school grounds, including parking lots and playing fields</b>			
High Schools	101	91	87 - 94
Middle Schools	195	86	82 - 89
Junior/Senior High Schools	26	85	75 - 91
<b>All Schools</b>	<b>322</b>	<b>87</b>	<b>85 - 90</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	105	98	95 - 99
Middle Schools	195	97	94 - 98
Junior/Senior High Schools	26	96	84 - 99
<b>All Schools</b>	<b>326</b>	<b>97</b>	<b>95 - 98</b>
<b>d. At off-campus, school-sponsored events</b>			
High Schools	102	87	81 - 92
Middle Schools	195	79	75 - 83
Junior/Senior High Schools	26	65	52 - 77
<b>All Schools</b>	<b>323</b>	<b>81</b>	<b>78 - 84</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**21 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In school buildings</b>			
High Schools	105	98	95 - 99
Middle Schools	196	97	95 - 99
Junior/Senior High Schools	26	100	NA
<b>All Schools</b>	<b>327</b>	<b>98</b>	<b>96 - 99</b>
<b>b. Outside on school grounds, including parking lots and playing fields</b>			
High Schools	103	86	80 - 90
Middle Schools	195	72	68 - 76
Junior/Senior High Schools	26	77	64 - 86
<b>All Schools</b>	<b>324</b>	<b>77</b>	<b>74 - 80</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	104	98	95 - 99
Middle Schools	194	95	92 - 97
Junior/Senior High Schools	26	92	79 - 97
<b>All Schools</b>	<b>324</b>	<b>96</b>	<b>94 - 97</b>
<b>d. At off-campus, school-sponsored events</b>			
High Schools	102	63	56 - 69
Middle Schools	193	61	55 - 66
Junior/Senior High Schools	26	38	25 - 53
<b>All Schools</b>	<b>321</b>	<b>59</b>	<b>55 - 63</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**21N. Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits use of cigarettes, smokeless tobacco, cigars, and pipes by students, faculty/staff, and visitors; during school hours and during non-school hours; in school buildings, outside on school grounds, on school buses or other vehicles used to transport students, and at off-campus, school-sponsored events.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	103	46	39 - 53
Middle Schools	190	42	37 - 47
Junior/Senior High Schools	26	19	10 - 33
<b>All Schools</b>	<b>319</b>	<b>41</b>	<b>38 - 45</b>

\*Responses to question 19 (a, b, c, and d), question 20 (a and b), and question 21 (a, b, c, and d) are all "yes."  
 NA=Not available  
 N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**22. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Students</b>			
High Schools	105	100	NA
Middle Schools	191	99	98 - 100
Junior/Senior High Schools	26	100	NA
<b>All Schools</b>	<b>322</b>	<b>100</b>	<b>99 - 100</b>
<b>b. Faculty and staff</b>			
High Schools	105	99	96 - 100
Middle Schools	189	99	98 - 100
Junior/Senior High Schools	26	100	NA
<b>All Schools</b>	<b>320</b>	<b>99</b>	<b>98 - 100</b>
<b>c. Visitors</b>			
High Schools	102	96	92 - 98
Middle Schools	182	97	94 - 98
Junior/Senior High Schools	25	96	84 - 99
<b>All Schools</b>	<b>309</b>	<b>96</b>	<b>95 - 98</b>

\*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**23. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	105	94	90 - 97
Middle Schools	193	98	96 - 99
Junior/Senior High Schools	26	100	NA
<b>All Schools</b>	<b>324</b>	<b>97</b>	<b>95 - 98</b>

\*Among those schools that have adopted a policy prohibiting tobacco use.  
NA=Not available  
N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**24. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.\***

	N	Percent	95% Confidence Interval
<b>a. No single individual is responsible</b>			
High Schools	91	49	42 - 57
Middle Schools	171	35	30 - 40
Junior/Senior High Schools	21	57	36 - 75
<b>All Schools</b>	<b>283</b>	<b>41</b>	<b>37 - 45</b>
<b>b. Principal</b>			
High Schools	91	32	25 - 40
Middle Schools	171	63	57 - 68
Junior/Senior High Schools	21	19	9 - 37
<b>All Schools</b>	<b>283</b>	<b>49</b>	<b>45 - 54</b>
<b>c. Assistant principal</b>			
High Schools	91	17	12 - 23
Middle Schools	171	2	1 - 5
Junior/Senior High Schools	21	14	6 - 30
<b>All Schools</b>	<b>283</b>	<b>8</b>	<b>6 - 10</b>
<b>d. Other school administrator</b>			
High Schools	91	0	NA
Middle Schools	171	1	0 - 3
Junior/Senior High Schools	21	0	NA
<b>All Schools</b>	<b>283</b>	<b>0</b>	<b>0 - 2</b>
<b>e. Other school faculty or staff member</b>			
High Schools	91	2	1 - 6
Middle Schools	171	0	NA
Junior/Senior High Schools	21	9	3 - 25
<b>All Schools</b>	<b>283</b>	<b>1</b>	<b>1 - 3</b>

\*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**25. Percentage of schools in which the following help determine what actions are taken when students are caught smoking cigarettes.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Zero tolerance</b>			
High Schools	110	31	26 - 37
Middle Schools	206	41	36 - 46
Junior/Senior High Schools	27	33	21 - 48
<b>All Schools</b>	<b>343</b>	<b>37</b>	<b>34 - 41</b>
<b>b. Effect or severity of the violation</b>			
High Schools	110	33	27 - 40
Middle Schools	206	40	35 - 45
Junior/Senior High Schools	27	19	9 - 34
<b>All Schools</b>	<b>343</b>	<b>36</b>	<b>32 - 40</b>
<b>c. Grade level of student</b>			
High Schools	110	4	2 - 7
Middle Schools	207	19	16 - 24
Junior/Senior High Schools	27	19	9 - 34
<b>All Schools</b>	<b>344</b>	<b>14</b>	<b>12 - 17</b>
<b>d. Repeat offender status</b>			
High Schools	109	46	39 - 53
Middle Schools	207	41	36 - 46
Junior/Senior High Schools	27	48	34 - 63
<b>All Schools</b>	<b>343</b>	<b>43</b>	<b>39 - 47</b>
<b>e. None of these</b>			
High Schools	109	21	16 - 28
Middle Schools	205	16	12 - 20
Junior/Senior High Schools	27	29	17 - 45
<b>All Schools</b>	<b>341</b>	<b>18</b>	<b>16 - 22</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>a. Parents or guardians are notified</b>			
High Schools	110	0	NA
Middle Schools	207	0	NA
Junior/Senior High Schools	27	0	NA
<b>All Schools</b>	<b>344</b>	<b>0</b>	<b>NA</b>
<b>b. Referred to a school counselor</b>			
High Schools	106	16	11 - 23
Middle Schools	207	10	7 - 13
Junior/Senior High Schools	26	12	5 - 26
<b>All Schools</b>	<b>339</b>	<b>12</b>	<b>9 - 15</b>
<b>c. Referred to a school administrator</b>			
High Schools	108	0	NA
Middle Schools	205	0	NA
Junior/Senior High Schools	27	0	NA
<b>All Schools</b>	<b>340</b>	<b>0</b>	<b>NA</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	107	17	12 - 23
Middle Schools	204	25	21 - 30
Junior/Senior High Schools	25	16	8 - 30
<b>All Schools</b>	<b>336</b>	<b>22</b>	<b>19 - 25</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	105	35	29 - 42
Middle Schools	202	44	39 - 49
Junior/Senior High Schools	24	33	21 - 48
<b>All Schools</b>	<b>331</b>	<b>40</b>	<b>37 - 44</b>
<b>f. Referred to legal authorities</b>			
High Schools	108	11	8 - 16
Middle Schools	201	13	10 - 17
Junior/Senior High Schools	26	0	NA
<b>All Schools</b>	<b>335</b>	<b>12</b>	<b>9 - 14</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>g. Placed in detention</b>			
High Schools	106	34	27 - 41
Middle Schools	201	33	28 - 38
Junior/Senior High Schools	27	29	19 - 43
<b>All Schools</b>	<b>334</b>	<b>33</b>	<b>29 - 37</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	107	22	17 - 29
Middle Schools	203	23	19 - 28
Junior/Senior High Schools	26	19	10 - 33
<b>All Schools</b>	<b>336</b>	<b>23</b>	<b>19 - 26</b>
<b>i. Given in-school suspension</b>			
High Schools	104	21	16 - 28
Middle Schools	204	23	19 - 28
Junior/Senior High Schools	27	37	25 - 51
<b>All Schools</b>	<b>335</b>	<b>24</b>	<b>20 - 27</b>
<b>j. Suspended from school</b>			
High Schools	103	17	12 - 24
Middle Schools	205	16	12 - 20
Junior/Senior High Schools	26	19	10 - 35
<b>All Schools</b>	<b>334</b>	<b>16</b>	<b>14 - 20</b>
<b>k. Expelled from school</b>			
High Schools	106	74	68 - 80
Middle Schools	202	55	50 - 60
Junior/Senior High Schools	26	73	63 - 81
<b>All Schools</b>	<b>334</b>	<b>62</b>	<b>59 - 66</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	108	48	41 - 55
Middle Schools	205	40	35 - 45
Junior/Senior High Schools	26	46	35 - 57
<b>All Schools</b>	<b>339</b>	<b>43</b>	<b>39 - 47</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>a. Parents or guardians are notified</b>			
High Schools	110	0	NA
Middle Schools	207	0	NA
Junior/Senior High Schools	27	0	NA
<b>All Schools</b>	<b>344</b>	<b>0</b>	<b>NA</b>
<b>b. Referred to a school counselor</b>			
High Schools	106	29	23 - 37
Middle Schools	207	15	12 - 19
Junior/Senior High Schools	26	23	12 - 39
<b>All Schools</b>	<b>339</b>	<b>20</b>	<b>17 - 23</b>
<b>c. Referred to a school administrator</b>			
High Schools	108	0	NA
Middle Schools	205	0	NA
Junior/Senior High Schools	27	0	NA
<b>All Schools</b>	<b>340</b>	<b>0</b>	<b>NA</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	107	33	27 - 40
Middle Schools	204	24	20 - 30
Junior/Senior High Schools	25	32	20 - 47
<b>All Schools</b>	<b>336</b>	<b>28</b>	<b>24 - 32</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	105	31	25 - 39
Middle Schools	202	24	20 - 29
Junior/Senior High Schools	24	25	13 - 44
<b>All Schools</b>	<b>331</b>	<b>27</b>	<b>23 - 30</b>
<b>f. Referred to legal authorities</b>			
High Schools	108	11	7 - 17
Middle Schools	201	13	10 - 18
Junior/Senior High Schools	26	20	11 - 32
<b>All Schools</b>	<b>335</b>	<b>13</b>	<b>11 - 16</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>g. Placed in detention</b>			
High Schools	106	11	7 - 17
Middle Schools	201	14	11 - 18
Junior/Senior High Schools	27	11	5 - 24
<b>All Schools</b>	<b>334</b>	<b>13</b>	<b>10 - 16</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	107	23	18 - 30
Middle Schools	203	14	11 - 18
Junior/Senior High Schools	26	46	34 - 59
<b>All Schools</b>	<b>336</b>	<b>20</b>	<b>17 - 23</b>
<b>i. Given in-school suspension</b>			
High Schools	104	14	10 - 20
Middle Schools	204	12	9 - 16
Junior/Senior High Schools	27	8	3 - 20
<b>All Schools</b>	<b>335</b>	<b>13</b>	<b>10 - 15</b>
<b>j. Suspended from school</b>			
High Schools	103	23	18 - 29
Middle Schools	205	10	7 - 13
Junior/Senior High Schools	26	15	7 - 29
<b>All Schools</b>	<b>334</b>	<b>14</b>	<b>12 - 17</b>
<b>k. Expelled from school</b>			
High Schools	106	19	14 - 26
Middle Schools	202	28	24 - 32
Junior/Senior High Schools	26	20	15 - 26
<b>All Schools</b>	<b>334</b>	<b>25</b>	<b>22 - 28</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	108	25	19 - 32
Middle Schools	205	24	20 - 28
Junior/Senior High Schools	26	31	18 - 47
<b>All Schools</b>	<b>339</b>	<b>25</b>	<b>22 - 28</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>a. Parents or guardians are notified</b>			
High Schools	110	5	3 - 10
Middle Schools	207	0	0 - 2
Junior/Senior High Schools	27	8	3 - 20
<b>All Schools</b>	<b>344</b>	<b>3</b>	<b>2 - 4</b>
<b>b. Referred to a school counselor</b>			
High Schools	106	44	38 - 51
Middle Schools	207	43	39 - 49
Junior/Senior High Schools	26	62	44 - 77
<b>All Schools</b>	<b>339</b>	<b>45</b>	<b>41 - 49</b>
<b>c. Referred to a school administrator</b>			
High Schools	108	0	NA
Middle Schools	205	0	NA
Junior/Senior High Schools	27	4	1 - 15
<b>All Schools</b>	<b>340</b>	<b>0</b>	<b>0 - 1</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	107	36	30 - 42
Middle Schools	204	31	26 - 36
Junior/Senior High Schools	25	52	36 - 68
<b>All Schools</b>	<b>336</b>	<b>34</b>	<b>30 - 38</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	105	21	16 - 27
Middle Schools	202	17	13 - 21
Junior/Senior High Schools	24	25	13 - 42
<b>All Schools</b>	<b>331</b>	<b>19</b>	<b>16 - 22</b>
<b>f. Referred to legal authorities</b>			
High Schools	108	26	20 - 33
Middle Schools	201	18	15 - 23
Junior/Senior High Schools	26	19	10 - 34
<b>All Schools</b>	<b>335</b>	<b>21</b>	<b>18 - 24</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>g. Placed in detention</b>			
High Schools	106	26	20 - 34
Middle Schools	201	28	24 - 33
Junior/Senior High Schools	27	37	25 - 51
<b>All Schools</b>	<b>334</b>	<b>28</b>	<b>25 - 32</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	107	42	36 - 49
Middle Schools	203	41	36 - 46
Junior/Senior High Schools	26	23	12 - 39
<b>All Schools</b>	<b>336</b>	<b>40</b>	<b>36 - 44</b>
<b>i. Given in-school suspension</b>			
High Schools	104	39	33 - 47
Middle Schools	204	39	34 - 44
Junior/Senior High Schools	27	30	18 - 45
<b>All Schools</b>	<b>335</b>	<b>38</b>	<b>35 - 43</b>
<b>j. Suspended from school</b>			
High Schools	103	40	33 - 48
Middle Schools	205	39	34 - 44
Junior/Senior High Schools	26	42	29 - 56
<b>All Schools</b>	<b>334</b>	<b>39</b>	<b>35 - 43</b>
<b>k. Expelled from school</b>			
High Schools	106	7	4 - 11
Middle Schools	202	13	10 - 18
Junior/Senior High Schools	26	8	3 - 20
<b>All Schools</b>	<b>334</b>	<b>11</b>	<b>8 - 14</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	108	21	16 - 28
Middle Schools	205	27	22 - 32
Junior/Senior High Schools	26	15	7 - 30
<b>All Schools</b>	<b>339</b>	<b>24</b>	<b>21 - 28</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>a. Parents or guardians are notified</b>			
High Schools	110	95	90 - 97
Middle Schools	207	100	98 - 100
Junior/Senior High Schools	27	92	80 - 97
<b>All Schools</b>	<b>344</b>	<b>97</b>	<b>96 - 98</b>
<b>b. Referred to a school counselor</b>			
High Schools	106	10	7 - 15
Middle Schools	207	32	27 - 37
Junior/Senior High Schools	26	4	1 - 14
<b>All Schools</b>	<b>339</b>	<b>23</b>	<b>20 - 26</b>
<b>c. Referred to a school administrator</b>			
High Schools	108	100	NA
Middle Schools	205	100	NA
Junior/Senior High Schools	27	96	85 - 99
<b>All Schools</b>	<b>340</b>	<b>100</b>	<b>99 - 100</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	107	14	10 - 20
Middle Schools	204	19	15 - 24
Junior/Senior High Schools	25	0	NA
<b>All Schools</b>	<b>336</b>	<b>16</b>	<b>13 - 19</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	105	12	8 - 18
Middle Schools	202	15	12 - 19
Junior/Senior High Schools	24	17	8 - 33
<b>All Schools</b>	<b>331</b>	<b>14</b>	<b>12 - 17</b>
<b>f. Referred to legal authorities</b>			
High Schools	108	52	44 - 59
Middle Schools	201	55	49 - 60
Junior/Senior High Schools	26	61	47 - 73
<b>All Schools</b>	<b>335</b>	<b>54</b>	<b>50 - 58</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>g. Placed in detention</b>			
High Schools	106	28	22 - 35
Middle Schools	201	25	20 - 30
Junior/Senior High Schools	27	22	12 - 37
<b>All Schools</b>	<b>334</b>	<b>26</b>	<b>22 - 29</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	107	12	8 - 17
Middle Schools	203	22	18 - 26
Junior/Senior High Schools	26	12	5 - 26
<b>All Schools</b>	<b>336</b>	<b>18</b>	<b>15 - 21</b>
<b>i. Given in-school suspension</b>			
High Schools	104	25	19 - 32
Middle Schools	204	25	21 - 31
Junior/Senior High Schools	27	26	15 - 41
<b>All Schools</b>	<b>335</b>	<b>25</b>	<b>22 - 29</b>
<b>j. Suspended from school</b>			
High Schools	103	20	14 - 26
Middle Schools	205	36	31 - 41
Junior/Senior High Schools	26	23	13 - 39
<b>All Schools</b>	<b>334</b>	<b>30</b>	<b>26 - 34</b>
<b>k. Expelled from school</b>			
High Schools	106	0	NA
Middle Schools	202	3	2 - 6
Junior/Senior High Schools	26	0	NA
<b>All Schools</b>	<b>334</b>	<b>2</b>	<b>1 - 4</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	108	6	3 - 10
Middle Schools	205	10	7 - 13
Junior/Senior High Schools	26	8	3 - 21
<b>All Schools</b>	<b>339</b>	<b>8</b>	<b>6 - 11</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	106	77	71 - 82
Middle Schools	206	86	82 - 90
Junior/Senior High Schools	27	81	66 - 91
<b>All Schools</b>	<b>339</b>	<b>83</b>	<b>80 - 86</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**28. Percentage of schools that did the following activities during the past two years.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Gathered and shared information with students and families about mass-media messages or community-based tobacco-use prevention efforts</b>			
High Schools	109	41	34 - 48
Middle Schools	205	49	44 - 54
Junior/Senior High Schools	27	52	39 - 65
<b>All Schools</b>	<b>341</b>	<b>47</b>	<b>43 - 51</b>
<b>b. Worked with local agencies or organizations to plan and implement events or programs intended to reduce tobacco use</b>			
High Schools	109	52	45 - 59
Middle Schools	205	52	47 - 57
Junior/Senior High Schools	27	52	40 - 63
<b>All Schools</b>	<b>341</b>	<b>52</b>	<b>48 - 56</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**29. Percentage of schools that provide tobacco cessation services for each of the following groups.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Faculty and staff</b>			
High Schools	108	20	14 - 26
Middle Schools	206	9	7 - 13
Junior/Senior High Schools	27	26	16 - 39
<b>All Schools</b>	<b>341</b>	<b>14</b>	<b>11 - 17</b>
<b>b. Students</b>			
High Schools	109	26	20 - 32
Middle Schools	206	17	13 - 21
Junior/Senior High Schools	27	30	19 - 43
<b>All Schools</b>	<b>342</b>	<b>21</b>	<b>18 - 24</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**30. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Faculty and staff</b>			
High Schools	107	24	19 - 31
Middle Schools	205	16	12 - 20
Junior/Senior High Schools	26	31	19 - 46
<b>All Schools</b>	<b>338</b>	<b>20</b>	<b>17 - 23</b>
<b>b. Students</b>			
High Schools	109	37	30 - 43
Middle Schools	204	26	22 - 31
Junior/Senior High Schools	26	42	28 - 58
<b>All Schools</b>	<b>339</b>	<b>31</b>	<b>27 - 34</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**31. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.**

	N	Percent	95% Confidence Interval
<b>a. Foods or beverages are not offered at school celebrations</b>			
High Schools	109	6	3 - 10
Middle Schools	206	1	0 - 3
Junior/Senior High Schools	26	0	NA
<b>All Schools</b>	<b>341</b>	<b>2</b>	<b>1 - 4</b>
<b>b. Never</b>			
High Schools	109	2	1 - 5
Middle Schools	206	1	1 - 3
Junior/Senior High Schools	26	4	1 - 15
<b>All Schools</b>	<b>341</b>	<b>2</b>	<b>1 - 3</b>
<b>c. Rarely</b>			
High Schools	109	12	8 - 16
Middle Schools	206	15	11 - 19
Junior/Senior High Schools	26	0	NA
<b>All Schools</b>	<b>341</b>	<b>13</b>	<b>10 - 15</b>
<b>d. Sometimes</b>			
High Schools	109	38	32 - 44
Middle Schools	206	53	48 - 59
Junior/Senior High Schools	26	35	25 - 46
<b>All Schools</b>	<b>341</b>	<b>47</b>	<b>43 - 51</b>
<b>e. Always or almost always</b>			
High Schools	109	43	37 - 50
Middle Schools	206	30	25 - 35
Junior/Senior High Schools	26	62	52 - 71
<b>All Schools</b>	<b>341</b>	<b>36</b>	<b>33 - 40</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**32. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	110	83	78 - 88
Middle Schools	205	46	41 - 52
Junior/Senior High Schools	27	81	75 - 87
<b>All Schools</b>	<b>342</b>	<b>61</b>	<b>57 - 65</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.**

	N	Percent	95% Confidence Interval
<b>a. Chocolate candy</b>			
High Schools	106	58	50 - 64
Middle Schools	201	2	1 - 5
Junior/Senior High Schools	26	27	16 - 43
<b>All Schools</b>	<b>333</b>	<b>22</b>	<b>19 - 25</b>
<b>b. Other kinds of candy</b>			
High Schools	105	59	52 - 66
Middle Schools	201	4	3 - 7
Junior/Senior High Schools	25	32	19 - 49
<b>All Schools</b>	<b>331</b>	<b>24</b>	<b>21 - 27</b>
<b>c. Salty snacks that are not low in fat, such as regular potato chips</b>			
High Schools	107	60	53 - 66
Middle Schools	200	4	2 - 6
Junior/Senior High Schools	26	23	13 - 38
<b>All Schools</b>	<b>333</b>	<b>23</b>	<b>20 - 26</b>
<b>d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat</b>			
High Schools	106	56	48 - 63
Middle Schools	201	5	3 - 8
Junior/Senior High Schools	25	24	15 - 35
<b>All Schools</b>	<b>332</b>	<b>22</b>	<b>20 - 25</b>
<b>e. Ice cream or frozen yogurt that is not low in fat</b>			
High Schools	105	29	22 - 37
Middle Schools	200	7	4 - 9
Junior/Senior High Schools	26	15	7 - 29
<b>All Schools</b>	<b>331</b>	<b>14</b>	<b>12 - 18</b>
<b>f. 2% or whole milk (plain or flavored)</b>			
High Schools	107	52	45 - 60
Middle Schools	200	21	17 - 26
Junior/Senior High Schools	26	23	14 - 36
<b>All Schools</b>	<b>333</b>	<b>31</b>	<b>28 - 35</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.**

	N	Percent	95% Confidence Interval
<b>g. Water ices or frozen slushes that do not contain juice</b>			
High Schools	105	23	17 - 29
Middle Schools	201	6	4 - 8
Junior/Senior High Schools	26	19	10 - 35
<b>All Schools</b>	<b>332</b>	<b>12</b>	<b>10 - 15</b>
<b>h. Soda pop or fruit drinks that are not 100% juice</b>			
High Schools	106	70	63 - 76
Middle Schools	200	2	1 - 5
Junior/Senior High Schools	26	31	23 - 41
<b>All Schools</b>	<b>332</b>	<b>26</b>	<b>24 - 29</b>
<b>i. Sports drinks, such as Gatorade</b>			
High Schools	107	74	68 - 79
Middle Schools	201	12	9 - 16
Junior/Senior High Schools	26	42	31 - 55
<b>All Schools</b>	<b>334</b>	<b>34</b>	<b>31 - 37</b>
<b>j. Foods or beverages containing caffeine</b>			
High Schools	107	70	64 - 76
Middle Schools	201	3	2 - 5
Junior/Senior High Schools	26	34	28 - 42
<b>All Schools</b>	<b>334</b>	<b>27</b>	<b>24 - 29</b>
<b>k. Fruits (not fruit juice)</b>			
High Schools	107	43	36 - 50
Middle Schools	201	13	10 - 17
Junior/Senior High Schools	25	20	12 - 32
<b>All Schools</b>	<b>333</b>	<b>23</b>	<b>20 - 26</b>
<b>l. Non-fried vegetables (not vegetable juice)</b>			
High Schools	107	32	26 - 39
Middle Schools	201	8	6 - 12
Junior/Senior High Schools	26	15	9 - 25
<b>All Schools</b>	<b>334</b>	<b>16</b>	<b>14 - 19</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**34. Percentage of all schools that limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	106	42	36 - 49
Middle Schools	201	40	35 - 45
Junior/Senior High Schools	26	50	35 - 65
<b>All Schools</b>	<b>333</b>	<b>42</b>	<b>38 - 46</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**35. Percentage of schools that have done any of the following activities during this school year.**

	N	Percent	95% Confidence Interval
<b>a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages</b>			
High Schools	108	13	9 - 18
Middle Schools	206	3	2 - 6
Junior/Senior High Schools	26	12	5 - 25
<b>All Schools</b>	<b>340</b>	<b>7</b>	<b>5 - 9</b>
<b>b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating</b>			
High Schools	107	45	39 - 51
Middle Schools	204	43	38 - 48
Junior/Senior High Schools	26	62	48 - 74
<b>All Schools</b>	<b>337</b>	<b>45</b>	<b>41 - 49</b>
<b>c. Provided information to students or families on the nutrition and caloric content of foods available</b>			
High Schools	108	44	37 - 52
Middle Schools	203	54	48 - 59
Junior/Senior High Schools	26	42	29 - 57
<b>All Schools</b>	<b>337</b>	<b>50</b>	<b>46 - 54</b>
<b>d. Conducted taste tests to determine food preferences for nutritious items</b>			
High Schools	107	22	17 - 29
Middle Schools	204	19	15 - 23
Junior/Senior High Schools	26	27	17 - 40
<b>All Schools</b>	<b>337</b>	<b>20</b>	<b>17 - 24</b>
<b>e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics</b>			
High Schools	108	14	9 - 20
Middle Schools	204	19	15 - 23
Junior/Senior High Schools	26	23	13 - 37
<b>All Schools</b>	<b>338</b>	<b>18</b>	<b>15 - 21</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**36. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks to students through the distribution of products, such as t-shirts, hats, and book covers.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	106	6	3 - 10
Middle Schools	204	2	1 - 4
Junior/Senior High Schools	27	7	3 - 19
<b>All Schools</b>	<b>337</b>	<b>4</b>	<b>2 - 5</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**37. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In the school building</b>			
High Schools	109	61	54 - 68
Middle Schools	204	70	65 - 74
Junior/Senior High Schools	27	59	45 - 73
<b>All Schools</b>	<b>340</b>	<b>66</b>	<b>62 - 70</b>
<b>b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus</b>			
High Schools	109	46	39 - 53
Middle Schools	204	58	53 - 63
Junior/Senior High Schools	27	41	28 - 56
<b>All Schools</b>	<b>340</b>	<b>53</b>	<b>49 - 57</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	110	80	74 - 85
Middle Schools	205	77	73 - 81
Junior/Senior High Schools	27	78	66 - 86
<b>All Schools</b>	<b>342</b>	<b>78</b>	<b>75 - 81</b>
<b>d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)</b>			
High Schools	109	52	45 - 59
Middle Schools	205	72	67 - 76
Junior/Senior High Schools	27	56	41 - 69
<b>All Schools</b>	<b>341</b>	<b>64</b>	<b>60 - 68</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**38. Percentage of schools that have a full-time registered nurse who provides health services to students.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	110	49	42 - 56
Middle Schools	207	46	41 - 51
Junior/Senior High Schools	27	52	38 - 66
<b>All Schools</b>	<b>344</b>	<b>47</b>	<b>44 - 51</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.**

	N	Percent	95% Confidence Interval
<b>a. This school does not identify students diagnosed with chronic health conditions such as asthma</b>			
High Schools	106	1	0 - 4
Middle Schools	204	2	1 - 5
Junior/Senior High Schools	27	0	NA
<b>All Schools</b>	<b>337</b>	<b>2</b>	<b>1 - 3</b>
<b>b. Student emergency cards</b>			
High Schools	106	74	68 - 80
Middle Schools	205	82	79 - 86
Junior/Senior High Schools	27	85	71 - 93
<b>All Schools</b>	<b>338</b>	<b>80</b>	<b>77 - 83</b>
<b>c. Medication records</b>			
High Schools	106	75	68 - 81
Middle Schools	204	78	73 - 82
Junior/Senior High Schools	27	71	57 - 82
<b>All Schools</b>	<b>337</b>	<b>77</b>	<b>73 - 80</b>
<b>d. Health room visit information</b>			
High Schools	106	32	26 - 39
Middle Schools	204	26	22 - 30
Junior/Senior High Schools	27	37	26 - 51
<b>All Schools</b>	<b>337</b>	<b>29</b>	<b>25 - 32</b>
<b>e. Emergency care plans</b>			
High Schools	106	51	44 - 58
Middle Schools	204	50	45 - 55
Junior/Senior High Schools	27	44	34 - 56
<b>All Schools</b>	<b>337</b>	<b>50</b>	<b>46 - 54</b>
<b>f. Physical exam records</b>			
High Schools	106	40	34 - 48
Middle Schools	206	42	38 - 47
Junior/Senior High Schools	27	41	30 - 53
<b>All Schools</b>	<b>339</b>	<b>42</b>	<b>38 - 45</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Notes from parents</b>			
High Schools	106	90	85 - 93
Middle Schools	204	87	83 - 90
Junior/Senior High Schools	27	89	76 - 95
<b>All Schools</b>	<b>337</b>	<b>88</b>	<b>85 - 90</b>
<b>h. Other</b>			
High Schools	108	31	24 - 38
Middle Schools	208	18	14 - 22
Junior/Senior High Schools	27	30	18 - 45
<b>All Schools</b>	<b>343</b>	<b>23</b>	<b>19 - 26</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**40. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.**

	N	Percent	95% Confidence Interval
<b>a. School has no students with known asthma</b>			
High Schools	108	2	1 - 5
Middle Schools	202	1	1 - 3
Junior/Senior High Schools	27	4	1 - 15
<b>All Schools</b>	<b>337</b>	<b>2</b>	<b>1 - 3</b>
<b>b. All students with known asthma have an asthma action plan on file</b>			
High Schools	108	52	45 - 59
Middle Schools	202	67	62 - 72
Junior/Senior High Schools	27	63	52 - 73
<b>All Schools</b>	<b>337</b>	<b>62</b>	<b>58 - 65</b>
<b>c. Most students with known asthma have an asthma action plan on file</b>			
High Schools	108	28	22 - 34
Middle Schools	202	18	14 - 22
Junior/Senior High Schools	27	22	12 - 36
<b>All Schools</b>	<b>337</b>	<b>21</b>	<b>18 - 25</b>
<b>d. Some students with known asthma have an asthma action plan on file</b>			
High Schools	108	12	8 - 18
Middle Schools	202	9	7 - 13
Junior/Senior High Schools	27	7	3 - 20
<b>All Schools</b>	<b>337</b>	<b>10</b>	<b>8 - 13</b>
<b>e. No students with known asthma have an asthma action plan on file</b>			
High Schools	108	6	4 - 11
Middle Schools	202	4	3 - 7
Junior/Senior High Schools	27	4	1 - 14
<b>All Schools</b>	<b>337</b>	<b>5</b>	<b>4 - 7</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.**

	N	Percent	95% Confidence Interval
<b>a. School does not identify students with poorly controlled asthma</b>			
High Schools	110	15	11 - 22
Middle Schools	208	12	9 - 16
Junior/Senior High Schools	27	11	5 - 24
<b>All Schools</b>	<b>345</b>	<b>13</b>	<b>10 - 16</b>
<b>b. Frequent absences from school</b>			
High Schools	110	32	25 - 39
Middle Schools	208	35	30 - 40
Junior/Senior High Schools	27	29	23 - 36
<b>All Schools</b>	<b>345</b>	<b>34</b>	<b>30 - 37</b>
<b>c. Frequent visits to the school health office due to asthma</b>			
High Schools	110	61	54 - 68
Middle Schools	208	62	58 - 67
Junior/Senior High Schools	27	52	38 - 65
<b>All Schools</b>	<b>345</b>	<b>61</b>	<b>57 - 65</b>
<b>d. Frequent asthma symptoms at school</b>			
High Schools	110	61	54 - 67
Middle Schools	208	67	62 - 71
Junior/Senior High Schools	27	78	62 - 88
<b>All Schools</b>	<b>345</b>	<b>66</b>	<b>62 - 69</b>
<b>e. Frequent non-participation in physical education class due to asthma</b>			
High Schools	110	35	28 - 42
Middle Schools	208	40	35 - 46
Junior/Senior High Schools	27	40	27 - 55
<b>All Schools</b>	<b>345</b>	<b>39</b>	<b>35 - 43</b>
<b>f. Students sent home early due to asthma</b>			
High Schools	110	38	32 - 45
Middle Schools	208	39	34 - 43
Junior/Senior High Schools	27	55	40 - 69
<b>All Schools</b>	<b>345</b>	<b>40</b>	<b>36 - 44</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Calls from school to 911, or other local emergency numbers, due to asthma</b>			
High Schools	110	30	25 - 36
Middle Schools	208	13	10 - 16
Junior/Senior High Schools	27	33	21 - 48
<b>All Schools</b>	<b>345</b>	<b>20</b>	<b>17 - 23</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.**

	N	Percent	95% Confidence Interval
<b>a. Providing referrals to primary healthcare clinicians or child health insurance programs</b>			
High Schools	100	56	49 - 63
Middle Schools	191	42	37 - 47
Junior/Senior High Schools	27	52	39 - 65
<b>All Schools</b>	<b>318</b>	<b>47</b>	<b>43 - 51</b>
<b>b. Ensuring an appropriate written asthma action plan is obtained</b>			
High Schools	103	80	73 - 85
Middle Schools	194	80	76 - 84
Junior/Senior High Schools	27	74	58 - 86
<b>All Schools</b>	<b>324</b>	<b>80</b>	<b>76 - 83</b>
<b>c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school</b>			
High Schools	102	75	67 - 81
Middle Schools	190	89	86 - 92
Junior/Senior High Schools	27	89	75 - 95
<b>All Schools</b>	<b>319</b>	<b>85</b>	<b>81 - 87</b>
<b>d. Offering asthma education for the student with asthma and his/her family</b>			
High Schools	103	44	37 - 51
Middle Schools	187	44	39 - 49
Junior/Senior High Schools	27	48	35 - 62
<b>All Schools</b>	<b>317</b>	<b>44</b>	<b>40 - 48</b>
<b>e. Minimizing asthma triggers in the school environment</b>			
High Schools	101	67	59 - 75
Middle Schools	189	75	70 - 79
Junior/Senior High Schools	27	66	52 - 78
<b>All Schools</b>	<b>317</b>	<b>72</b>	<b>68 - 75</b>
<b>f. Addressing social and emotional issues related to asthma</b>			
High Schools	102	43	36 - 51
Middle Schools	189	48	42 - 53
Junior/Senior High Schools	27	48	34 - 62
<b>All Schools</b>	<b>318</b>	<b>46</b>	<b>42 - 50</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.**

	N	Percent	95% Confidence Interval
<b>g. Providing additional psychosocial counseling or support services as needed</b>			
High Schools	98	44	37 - 51
Middle Schools	186	42	37 - 47
Junior/Senior High Schools	27	40	28 - 54
<b>All Schools</b>	<b>311</b>	<b>42</b>	<b>38 - 46</b>
<b>h. Ensuring access to safe, enjoyable physical education and activity opportunities</b>			
High Schools	104	88	82 - 92
Middle Schools	193	95	92 - 97
Junior/Senior High Schools	27	85	70 - 93
<b>All Schools</b>	<b>324</b>	<b>92</b>	<b>89 - 94</b>
<b>i. Ensuring access to preventive medications before physical activity</b>			
High Schools	105	82	76 - 87
Middle Schools	192	90	86 - 93
Junior/Senior High Schools	27	89	75 - 95
<b>All Schools</b>	<b>324</b>	<b>87</b>	<b>84 - 90</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**43. Percentage of schools that have a designated and secure storage location for medications, including quick-relief asthma medications.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	110	97	94 - 99
Middle Schools	205	96	93 - 97
Junior/Senior High Schools	27	96	85 - 99
<b>All Schools</b>	<b>342</b>	<b>96</b>	<b>94 - 97</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**44. Percentage of schools with a designated and secure storage location for medications that is accessible at all times by the school nurse or her designee.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	105	98	95 - 99
Middle Schools	183	100	NA
Junior/Senior High Schools	26	96	84 - 99
<b>All Schools</b>	<b>314</b>	<b>99</b>	<b>98 - 100</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**45. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.**

	N	Percent	95% Confidence Interval
<b>a. More than once per year</b>			
High Schools	109	5	2 - 9
Middle Schools	204	4	3 - 7
Junior/Senior High Schools	27	0	NA
<b>All Schools</b>	<b>340</b>	<b>4</b>	<b>3 - 6</b>
<b>b. Once per year</b>			
High Schools	109	45	38 - 52
Middle Schools	204	49	43 - 54
Junior/Senior High Schools	27	44	29 - 61
<b>All Schools</b>	<b>340</b>	<b>47</b>	<b>43 - 51</b>
<b>c. Less than once per year</b>			
High Schools	109	12	8 - 18
Middle Schools	204	9	7 - 13
Junior/Senior High Schools	27	11	5 - 25
<b>All Schools</b>	<b>340</b>	<b>10</b>	<b>8 - 13</b>
<b>d. No such requirement</b>			
High Schools	109	38	32 - 46
Middle Schools	204	38	32 - 43
Junior/Senior High Schools	27	45	29 - 61
<b>All Schools</b>	<b>340</b>	<b>38</b>	<b>34 - 43</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**46. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	108	81	74 - 86
Middle Schools	203	79	75 - 83
Junior/Senior High Schools	27	74	61 - 84
<b>All Schools</b>	<b>338</b>	<b>79</b>	<b>76 - 82</b>

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**47. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Students</b>			
High Schools	85	95	90 - 98
Middle Schools	153	99	97 - 100
Junior/Senior High Schools	20	100	NA
<b>All Schools</b>	<b>258</b>	<b>98</b>	<b>96 - 99</b>
<b>b. Parents/families</b>			
High Schools	85	95	90 - 98
Middle Schools	153	99	96 - 100
Junior/Senior High Schools	20	90	75 - 96
<b>All Schools</b>	<b>258</b>	<b>97</b>	<b>95 - 98</b>

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.  
 NA=Not available  
 N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**48. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medication.\***

	N	Percent	95% Confidence Interval
<b>a. No single individual is responsible</b>			
High Schools	71	30	22 - 39
Middle Schools	135	23	18 - 28
Junior/Senior High Schools	19	26	13 - 45
<b>All Schools</b>	<b>225</b>	<b>25</b>	<b>21 - 30</b>
<b>b. Principal</b>			
High Schools	71	24	17 - 32
Middle Schools	135	21	17 - 27
Junior/Senior High Schools	19	27	16 - 41
<b>All Schools</b>	<b>225</b>	<b>23</b>	<b>19 - 27</b>
<b>c. Assistant principal</b>			
High Schools	71	0	NA
Middle Schools	135	1	0 - 3
Junior/Senior High Schools	19	0	NA
<b>All Schools</b>	<b>225</b>	<b>0</b>	<b>0 - 2</b>
<b>d. School nurse</b>			
High Schools	71	42	35 - 51
Middle Schools	135	50	44 - 57
Junior/Senior High Schools	19	47	32 - 63
<b>All Schools</b>	<b>225</b>	<b>48</b>	<b>43 - 52</b>
<b>e. Other school faculty or staff member</b>			
High Schools	71	4	2 - 10
Middle Schools	135	4	3 - 7
Junior/Senior High Schools	19	0	NA
<b>All Schools</b>	<b>225</b>	<b>4</b>	<b>3 - 6</b>

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**49. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.**

	N	Percent	95% Confidence Interval
<b>a. HIV, STD, or teen pregnancy prevention</b>			
High Schools	109	25	19 - 32
Middle Schools	204	16	12 - 20
Junior/Senior High Schools	27	19	9 - 34
<b>All Schools</b>	<b>340</b>	<b>19</b>	<b>16 - 22</b>
<b>b. Tobacco-use prevention</b>			
High Schools	109	27	20 - 34
Middle Schools	203	25	20 - 29
Junior/Senior High Schools	27	22	12 - 39
<b>All Schools</b>	<b>339</b>	<b>25</b>	<b>22 - 29</b>
<b>c. Physical activity</b>			
High Schools	108	30	23 - 37
Middle Schools	204	37	32 - 42
Junior/Senior High Schools	27	48	34 - 62
<b>All Schools</b>	<b>339</b>	<b>35</b>	<b>31 - 40</b>
<b>d. Nutrition and healthy eating</b>			
High Schools	107	37	30 - 45
Middle Schools	206	43	38 - 48
Junior/Senior High Schools	27	44	29 - 60
<b>All Schools</b>	<b>340</b>	<b>41</b>	<b>37 - 45</b>
<b>e. Asthma</b>			
High Schools	109	24	18 - 31
Middle Schools	205	23	19 - 28
Junior/Senior High Schools	27	15	7 - 29
<b>All Schools</b>	<b>341</b>	<b>23</b>	<b>19 - 26</b>

NA=Not available

N=Unweighted number of observations

**Tennessee  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**50. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.**

	N	Percent	95% Confidence Interval
<b>a. HIV, STD, or teen pregnancy prevention</b>			
High Schools	108	42	35 - 49
Middle Schools	202	26	22 - 31
Junior/Senior High Schools	27	45	31 - 59
<b>All Schools</b>	<b>337</b>	<b>33</b>	<b>29 - 36</b>
<b>b. Tobacco-use prevention</b>			
High Schools	108	38	31 - 45
Middle Schools	203	33	29 - 38
Junior/Senior High Schools	27	48	35 - 62
<b>All Schools</b>	<b>338</b>	<b>36</b>	<b>32 - 40</b>
<b>c. Physical activity</b>			
High Schools	108	39	32 - 46
Middle Schools	205	42	37 - 47
Junior/Senior High Schools	27	52	38 - 65
<b>All Schools</b>	<b>340</b>	<b>42</b>	<b>38 - 46</b>
<b>d. Nutrition and healthy eating</b>			
High Schools	109	46	38 - 54
Middle Schools	205	46	41 - 50
Junior/Senior High Schools	27	63	47 - 76
<b>All Schools</b>	<b>341</b>	<b>47</b>	<b>43 - 51</b>
<b>e. Asthma</b>			
High Schools	109	29	23 - 37
Middle Schools	205	21	17 - 25
Junior/Senior High Schools	27	33	21 - 48
<b>All Schools</b>	<b>341</b>	<b>25</b>	<b>21 - 28</b>