


OBION

TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

- Strength
- Challenge

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: 49

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

- LOCAL HEALTH AT GLANCE::**
- STRENGTHS**
- Crime Rate
 - Dentists
 - Medical Doctors
- CHALLENGES**
- Nitrates in Drinking Water
 - Divorce Rate
 - Pre-1950 housing

Health Outcomes

	Data Year	OBION	Tennessee	Rank
Mortality (years of potential life lost per 100,000 population)	2007	559.2	485.7	49
Low Birth Weight (%)	2007	8.4%	9.4%	36
General Health Status (% fair/poor health) *	2007	23.9%	20.5%	44

Health Determinants

Health Care

No Health Insurance (%) *	2007	19.3%	14.7%	87
Doctors per 100,000 population	2007	97	173	23
Dentists per 100,000 population	2007	36	43	22
Without pneumococcal vaccinations (%) *	2007	72.5%	74.3%	38
Without influenza vaccinations for the last 12 months(%) *	2007	55.2%	58.5%	3
No diabetic eye exams (%)	2007	55.3%	53.6%	63
No diabetic lipid profile (%)	2007	23.3%	18.9%	82
No diabetic HbA1c testing (%)	2007	13.7%	12.3%	71
No mammography within past 2-year Women Aged*50+ (%)	2007	22.9%	19.7%	64

Health Behaviors

Cigarette smoking (%) *	2007	30.3%	24.3%	76
Mothers smoking during pregnancy (%)	2007	26.2%	19.4%	39
Physical inactivity (% of no exercise for a month)	2007	37.6%	31.5%	58
Overweight/Obesity (% BMI > 30) *	2007	68.1%	67.4%	42
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	44.0%	34.2%	87
Binge drinking (%) *	2007	10.4%	9.0%	73
Teen birth rate per (1,000 females aged 15-19)	2007	63	66	51
Sexually transmitted diseases (per 10,000 population)	2005-07	38	58	75
Violent crime (per 10,000 population)	2007	291	1,034	4
Motor vehicle crash deaths (per 10,000 population)	2007	4.1	2.0	76

Socioeconomic Factors

High school graduation rate (%)	2006-07	86.5%	82.5%	48
Population (age 18-64) with high school diploma or above (%)	2000	77.8%	74.9%	33
Unemployment rate (%)	Dec, 2008	8.2%	7.9%	31
Children (age 0-17) in poverty ratio (%)	2007	23.3%	18.0%	37
Divorce rate (per 1,000 population)	2007	5.6	4.4	84
Percent of own children in single-parent households	2000	23.3%	24.9%	81

Physical Environment


Air quality cancer risk (per 1,000,000)	2002	18.6	20.6	47
Air quality hazard index (per 1,000,000)	2002	1.0	1.6	42
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	13.3	13.9	5
Ozone level (ppb) *	2005-07	0.083	0.082	60
Nitrate levels in drinking water (mg/L)	2006-08	5.07	1.25	94
Pre-1950 housing (%)	2000	19.1%	14.3%	82
Lead poisoned children (%)	2007	0.6%	0.3%	78


* Regional Data

OVERTON


TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

 **Strength**

 **Challenge**

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: **66**

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

LOCAL HEALTH AT GLANCE::

STRENGTHS

- Single Parent
- STD
- Diabetic HbA1c testing

CHALLENGES

- Diabetic eye exams
- Smoking During Pregnancy
- Level of Education

	Data Year	OVERTON	Tennessee	Rank
Health Outcomes				
Mortality (years of potential life lost per 100,000 population)	2007	604.5	485.7	66
Low Birth Weight (%)	2007	8.0%	9.4%	24
General Health Status (% fair/poor health) *	2007	22.5%	20.5%	18
Health Determinants				
Health Care				
No Health Insurance (%) *	2007	13.2%	14.7%	15
Doctors per 100,000 population	2007	72	173	36
Dentists per 100,000 population	2007	24	43	52
Without pneumococcal vaccinations (%) *	2007	70.4%	74.3%	17
Without influenza vaccinations for the last 12 months(%) *	2007	57.5%	58.5%	37
No diabetic eye exams (%)	2007	59.5%	53.6%	80
No diabetic lipid profile (%)	2007	17.0%	18.9%	36
No diabetic HbA1c testing (%)	2007	9.3%	12.3%	12
No mammography within past 2-year Women Aged*50+ (%)	2007	17.9%	19.7%	15
Health Behaviors				
Cigarette smoking (%) *	2007	23.5%	24.3%	6
Mothers smoking during pregnancy (%)	2007	34.8%	19.4%	80
Physical inactivity (% of no exercise for a month)	2007	36.5%	31.5%	44
Overweight/Obesity (% BMI > 30) *	2007	65.8%	67.4%	20
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	35.9%	34.2%	28
Binge drinking (%) *	2007	5.7%	9.0%	11
Teen birth rate per (1,000 females aged 15-19)	2007	52	66	24
Sexually transmitted diseases (per 10,000 population)	2005-07	10	58	9
Violent crime (per 10,000 population)	2007	894	1,034	69
Motor vehicle crash deaths (per 10,000 population)	2007	3.8	2.0	72
Socioeconomic Factors				
High school graduation rate (%)	2006-07	89.4%	82.5%	28
Population (age 18-64) with high school diploma or above (%)	2000	69.1%	74.9%	78
Unemployment rate (%)	Dec, 2008	11.3%	7.9%	77
Children (age 0-17) in poverty ratio (%)	2007	26.2%	18.0%	59
Divorce rate (per 1,000 population)	2007	3.6	4.4	27
Percent of own children in single-parent households	2000	17.7%	24.9%	9
Physical Environment				
Air quality cancer risk (per 1,000,000)	2002	14.5	20.6	20
Air quality hazard index (per 1,000,000)	2002	0.8	1.6	19
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	13.6	13.9	25
Ozone level (ppb) *	2005-07	0.081	0.082	5
Nitrate levels in drinking water (mg/L)	2006-08	0.82	1.25	42
Pre-1950 housing (%)	2000	12.2%	14.3%	29
Lead poisoned children (%)	2007	0.7%	0.3%	80

* Regional Data

PERRY


TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

 **Strength**

 **Challenge**

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: **73**

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

LOCAL HEALTH AT GLANCE::

STRENGTHS

- Air Cancer Risk
- Air Respiratory Risk
- Low Birth Weight

CHALLENGES

- Diabetic lipid profile
- Unemployment Rate
- Diabetic HbA1c testing

	Data Year	PERRY	Tennessee	Rank
--	-----------	-------	-----------	------

Health Outcomes				
Mortality (years of potential life lost per 100,000 population)	2007	619.5	485.7	73
Low Birth Weight (%)	2007	4.6%	9.4%	1
General Health Status (% fair/poor health) *	2007	23.4%	20.5%	32

Health Determinants				
Health Care				
No Health Insurance (%) *	2007	18.0%	14.7%	75
Doctors per 100,000 population	2007	52	173	59
Dentists per 100,000 population	2007	13	43	84
Without pneumococcal vaccinations (%) *	2007	76.1%	74.3%	69
Without influenza vaccinations for the last 12 months(%) *	2007	66.3%	58.5%	84
No diabetic eye exams (%)	2007	62.9%	53.6%	90
No diabetic lipid profile (%)	2007	30.5%	18.9%	94
No diabetic HbA1c testing (%)	2007	19.7%	12.3%	93
No mammography within past 2-year Women Aged*50+ (%)	2007	20.5%	19.7%	51

Health Behaviors				
Cigarette smoking (%) *	2007	25.5%	24.3%	47
Mothers smoking during pregnancy (%)	2007	20.7%	19.4%	18
Physical inactivity (% of no exercise for a month)	2007	40.8%	31.5%	84
Overweight/Obesity (% BMI > 30) *	2007	71.0%	67.4%	74
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	40.0%	34.2%	58
Binge drinking (%) *	2007	6.9%	9.0%	25
Teen birth rate per (1,000 females aged 15-19)	2007	53	66	29
Sexually transmitted diseases (per 10,000 population)	2005-07	8	58	6
Violent crime (per 10,000 population)	2007	490	1,034	20
Motor vehicle crash deaths (per 10,000 population)	2007	5.2	2.0	88

Socioeconomic Factors				
High school graduation rate (%)	2006-07	90.8%	82.5%	20
Population (age 18-64) with high school diploma or above (%)	2000	70.3%	74.9%	71
Unemployment rate (%)	Dec, 2008	20.1%	7.9%	94
Children (age 0-17) in poverty ratio (%)	2007	27.3%	18.0%	67
Divorce rate (per 1,000 population)	2007	5.5	4.4	80
Percent of own children in single-parent households	2000	16.6%	24.9%	4

Physical Environment				
Air quality cancer risk (per 1,000,000)	2002	13.0	20.6	1
Air quality hazard index (per 1,000,000)	2002	0.4	1.6	1
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	13.6	13.9	25
Ozone level (ppb) *	2005-07	0.081	0.082	5
Nitrate levels in drinking water (mg/L)	2006-08	0.46	1.25	23
Pre-1950 housing (%)	2000	12.9%	14.3%	33
Lead poisoned children (%)	2007	1.3%	0.3%	93


* Regional Data


PICKETT

TENNESSEE INSTITUTE OF PUBLIC HEALTH


How to Read

Indicators:

 **Strength**

 **Challenge**

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: **64**

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

- LOCAL HEALTH AT GLANCE::**
- STRENGTHS**
- High School Grad Rate
 - Teen Pregnancy
 - Air Cancer Risk
- CHALLENGES**
- Dentists
 - Unemployment Rate
 - Medical Doctors

Health Outcomes

	Data Year	PICKETT	Tennessee	Rank
Mortality (years of potential life lost per 100,000 population)	2007	600.9	485.7	64
Low Birth Weight (%)	2007	10.0%	9.4%	72
General Health Status (% fair/poor health) *	2007	22.5%	20.5%	18

Health Determinants

Health Care

No Health Insurance (%) *	2007	13.2%	14.7%	15
Doctors per 100,000 population	2007	19	173	91
Dentists per 100,000 population	2007	0	43	92
Without pneumococcal vaccinations (%) *	2007	70.4%	74.3%	17
Without influenza vaccinations for the last 12 months(%) *	2007	57.5%	58.5%	37
No diabetic eye exams (%)	2007	53.6%	53.6%	48
No diabetic lipid profile (%)	2007	25.9%	18.9%	88
No diabetic HbA1c testing (%)	2007	12.0%	12.3%	51
No mammography within past 2-year Women Aged*50+ (%)	2007	17.9%	19.7%	15

Health Behaviors

Cigarette smoking (%) *	2007	23.5%	24.3%	6
Mothers smoking during pregnancy (%)	2007	24.0%	19.4%	27
Physical inactivity (% of no exercise for a month)	2007	36.5%	31.5%	44
Overweight/Obesity (% BMI > 30) *	2007	65.8%	67.4%	20
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	35.9%	34.2%	28
Binge drinking (%) *	2007	5.7%	9.0%	11
Teen birth rate per (1,000 females aged 15-19)	2007	33	66	3
Sexually transmitted diseases (per 10,000 population)	2005-07	15	58	19
Violent crime (per 10,000 population)	2007	686	1,034	45
Motor vehicle crash deaths (per 10,000 population)	2007	2.1	2.0	37

Socioeconomic Factors

High school graduation rate (%)	2006-07	96.2%	82.5%	2
Population (age 18-64) with high school diploma or above (%)	2000	70.0%	74.9%	73
Unemployment rate (%)	Dec, 2008	14.2%	7.9%	92
Children (age 0-17) in poverty ratio (%)	2007	29.5%	18.0%	74
Divorce rate (per 1,000 population)	2007	2.3	4.4	7
Percent of own children in single-parent households	2000	19.1%	24.9%	18

Physical Environment

Air quality cancer risk (per 1,000,000)	2002	13.7	20.6	4
Air quality hazard index (per 1,000,000)	2002	0.6	1.6	4
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	13.6	13.9	25
Ozone level (ppb) *	2005-07	0.081	0.082	5
Nitrate levels in drinking water (mg/L)	2006-08	0.39	1.25	19
Pre-1950 housing (%)	2000	11.4%	14.3%	22
Lead poisoned children (%)	2007	1.4%	0.3%	94

* Regional Data


POLK

TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

- Strength
- Challenge

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: 60

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

- LOCAL HEALTH AT GLANCE::**
- STRENGTHS**
- Single Parent
 - Crime Rate
 - Diabetic HbA1c testing
- CHALLENGES**
- Motor Vehicle Fatality
 - Level of Education
 - Diabetic eye exams

Health Outcomes

	Data Year	POLK	Tennessee	Rank
Mortality (years of potential life lost per 100,000 population)	2007	584.8	485.7	60
Low Birth Weight (%)	2007	8.7%	9.4%	43
General Health Status (% fair/poor health) *	2007	25.4%	20.5%	64

Health Determinants

Health Care

No Health Insurance (%) *	2007	17.4%	14.7%	64
Doctors per 100,000 population	2007	55	173	56
Dentists per 100,000 population	2007	18	43	69
Without pneumococcal vaccinations (%) *	2007	73.7%	74.3%	48
Without influenza vaccinations for the last 12 months(%) *	2007	60.6%	58.5%	60
No diabetic eye exams (%)	2007	57.0%	53.6%	72
No diabetic lipid profile (%)	2007	19.3%	18.9%	55
No diabetic HbA1c testing (%)	2007	9.4%	12.3%	14
No mammography within past 2-year Women Aged*50+ (%)	2007	18.8%	19.7%	40

Health Behaviors

Cigarette smoking (%) *	2007	26.0%	24.3%	59
Mothers smoking during pregnancy (%)	2007	31.2%	19.4%	61
Physical inactivity (% of no exercise for a month)	2007	33.0%	31.5%	33
Overweight/Obesity (% BMI > 30) *	2007	70.8%	67.4%	64
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	33.6%	34.2%	17
Binge drinking (%) *	2007	7.4%	9.0%	39
Teen birth rate per (1,000 females aged 15-19)	2007	71	66	71
Sexually transmitted diseases (per 10,000 population)	2005-07	13	58	16
Violent crime (per 10,000 population)	2007	263	1,034	3
Motor vehicle crash deaths (per 10,000 population)	2007	5.7	2.0	90

Socioeconomic Factors

High school graduation rate (%)	2006-07	82.4%	82.5%	72
Population (age 18-64) with high school diploma or above (%)	2000	68.7%	74.9%	80
Unemployment rate (%)	Dec, 2008	9.3%	7.9%	47
Children (age 0-17) in poverty ratio (%)	2007	22.5%	18.0%	31
Divorce rate (per 1,000 population)	2007	3.9	4.4	35
Percent of own children in single-parent households	2000	16.2%	24.9%	2

Physical Environment

Air quality cancer risk (per 1,000,000)	2002	15.3	20.6	26
Air quality hazard index (per 1,000,000)	2002	1.2	1.6	48
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	14.7	13.9	70
Ozone level (ppb) *	2005-07	0.082	0.082	43
Nitrate levels in drinking water (mg/L)	2006-08	0.41	1.25	21
Pre-1950 housing (%)	2000	15.6%	14.3%	61
Lead poisoned children (%)	2007	1.1%	0.3%	91

* Regional Data


PUTNAM

TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

- Strength
- Challenge

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: 11

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

- LOCAL HEALTH AT GLANCE::**
- STRENGTHS**
- Low Birth Weight
 - Medical Doctors
 - Pre-1950 housing
- CHALLENGES**
- Nitrates in Drinking Water
 - Children in Poverty
 - Diabetic lipid profile

Health Outcomes

	Data Year	PUTNAM	Tennessee	Rank
Mortality (years of potential life lost per 100,000 population)	2007	458.3	485.7	11
Low Birth Weight (%)	2007	7.1%	9.4%	9
General Health Status (% fair/poor health) *	2007	22.5%	20.5%	18

Health Determinants

Health Care

No Health Insurance (%) *	2007	13.2%	14.7%	15
Doctors per 100,000 population	2007	199	173	9
Dentists per 100,000 population	2007	46	43	14
Without pneumococcal vaccinations (%) *	2007	70.4%	74.3%	17
Without influenza vaccinations for the last 12 months(%) *	2007	57.5%	58.5%	37
No diabetic eye exams (%)	2007	53.7%	53.6%	51
No diabetic lipid profile (%)	2007	21.6%	18.9%	77
No diabetic HbA1c testing (%)	2007	10.3%	12.3%	29
No mammography within past 2-year Women Aged*50+ (%)	2007	17.9%	19.7%	15

Health Behaviors

Cigarette smoking (%) *	2007	23.5%	24.3%	6
Mothers smoking during pregnancy (%)	2007	20.7%	19.4%	19
Physical inactivity (% of no exercise for a month)	2007	36.5%	31.5%	44
Overweight/Obesity (% BMI > 30) *	2007	65.8%	67.4%	20
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	35.9%	34.2%	28
Binge drinking (%) *	2007	5.7%	9.0%	11
Teen birth rate per (1,000 females aged 15-19)	2007	53	66	27
Sexually transmitted diseases (per 10,000 population)	2005-07	38	58	73
Violent crime (per 10,000 population)	2007	717	1,034	49
Motor vehicle crash deaths (per 10,000 population)	2007	1.4	2.0	20

Socioeconomic Factors

High school graduation rate (%)	2006-07	86.5%	82.5%	49
Population (age 18-64) with high school diploma or above (%)	2000	81.2%	74.9%	17
Unemployment rate (%)	Dec, 2008	7.7%	7.9%	23
Children (age 0-17) in poverty ratio (%)	2007	31.4%	18.0%	84
Divorce rate (per 1,000 population)	2007	3.6	4.4	27
Percent of own children in single-parent households	2000	20.3%	24.9%	35

Physical Environment

Air quality cancer risk (per 1,000,000)	2002	20.4	20.6	56
Air quality hazard index (per 1,000,000)	2002	1.4	1.6	56
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	12.9	13.9	4
Ozone level (ppb) *	2005-07	0.081	0.082	5
Nitrate levels in drinking water (mg/L)	2006-08	2.75	1.25	86
Pre-1950 housing (%)	2000	9.5%	14.3%	11
Lead poisoned children (%)	2007	0.2%	0.3%	52

* Regional Data


RHEA

TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

- Strength
- Challenge

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: 74

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

- LOCAL HEALTH AT GLANCE::**
- STRENGTHS**
- Motor Vehicle Fatality
 - Pre-1950 housing
 -
- CHALLENGES**
- Unemployment Rate
 - Teen Pregnancy
 - Divorce Rate

Health Outcomes

	Data Year	RHEA	Tennessee	Rank
Mortality (years of potential life lost per 100,000 population)	2007	624.2	485.7	74
Low Birth Weight (%)	2007	9.1%	9.4%	52
General Health Status (% fair/poor health) *	2007	25.4%	20.5%	64

Health Determinants

Health Care

No Health Insurance (%) *	2007	17.4%	14.7%	64
Doctors per 100,000 population	2007	44	173	66
Dentists per 100,000 population	2007	20	43	64
Without pneumococcal vaccinations (%) *	2007	73.7%	74.3%	48
Without influenza vaccinations for the last 12 months(%) *	2007	60.6%	58.5%	60
No diabetic eye exams (%)	2007	51.1%	53.6%	33
No diabetic lipid profile (%)	2007	17.9%	18.9%	43
No diabetic HbA1c testing (%)	2007	12.2%	12.3%	53
No mammography within past 2-year Women Aged*50+ (%)	2007	18.8%	19.7%	40

Health Behaviors

Cigarette smoking (%) *	2007	26.0%	24.3%	59
Mothers smoking during pregnancy (%)	2007	32.2%	19.4%	66
Physical inactivity (% of no exercise for a month)	2007	33.0%	31.5%	33
Overweight/Obesity (% BMI > 30) *	2007	70.8%	67.4%	64
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	33.6%	34.2%	17
Binge drinking (%) *	2007	7.4%	9.0%	39
Teen birth rate per (1,000 females aged 15-19)	2007	76	66	86
Sexually transmitted diseases (per 10,000 population)	2005-07	26	58	50
Violent crime (per 10,000 population)	2007	911	1,034	71
Motor vehicle crash deaths (per 10,000 population)	2007	1.0	2.0	5

Socioeconomic Factors

High school graduation rate (%)	2006-07	83.4%	82.5%	65
Population (age 18-64) with high school diploma or above (%)	2000	70.9%	74.9%	66
Unemployment rate (%)	Dec, 2008	12.7%	7.9%	89
Children (age 0-17) in poverty ratio (%)	2007	25.9%	18.0%	57
Divorce rate (per 1,000 population)	2007	5.5	4.4	80
Percent of own children in single-parent households	2000	23.2%	24.9%	80

Physical Environment

Air quality cancer risk (per 1,000,000)	2002	20.7	20.6	59
Air quality hazard index (per 1,000,000)	2002	1.8	1.6	66
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	14.7	13.9	70
Ozone level (ppb) *	2005-07	0.083	0.082	56
Nitrate levels in drinking water (mg/L)	2006-08	1.83	1.25	75
Pre-1950 housing (%)	2000	11.2%	14.3%	18
Lead poisoned children (%)	2007	1.8%	0.3%	94

* Regional Data

ROANE

TENNESSEE INSTITUTE OF PUBLIC HEALTH


How to Read Indicators:

■ Strength

■ Challenge

Strength: Top 25%

Challenge: Bottom 25%



MORTALITY RANK: 63

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

- LOCAL HEALTH AT GLANCE::**
- STRENGTHS**
- Unemployment Rate
 - Level of Education
 - STD
- CHALLENGES**
- Low Birth Weight
 - Smoking During Pregnancy
 - Air Respiratory Risk

	Data Year	ROANE	Tennessee	Rank
Health Outcomes				
Mortality (years of potential life lost per 100,000 population)	2007	591.8	485.7	63
Low Birth Weight (%)	2007	12.5%	9.4%	89
General Health Status (% fair/poor health) *	2007	27.7%	20.5%	74
Health Determinants				
Health Care				
No Health Insurance (%) *	2007	14.0%	14.7%	40
Doctors per 100,000 population	2007	69	173	37
Dentists per 100,000 population	2007	28	43	31
Without pneumococcal vaccinations (%) *	2007	67.7%	74.3%	2
Without influenza vaccinations for the last 12 months(%) *	2007	55.3%	58.5%	12
No diabetic eye exams (%)	2007	51.4%	53.6%	35
No diabetic lipid profile (%)	2007	17.1%	18.9%	38
No diabetic HbA1c testing (%)	2007	10.2%	12.3%	26
No mammography within past 2-year Women Aged*50+ (%)	2007	25.1%	19.7%	81
Health Behaviors				
Cigarette smoking (%) *	2007	25.4%	24.3%	32
Mothers smoking during pregnancy (%)	2007	32.4%	19.4%	71
Physical inactivity (% of no exercise for a month)	2007	31.2%	31.5%	16
Overweight/Obesity (% BMI > 30) *	2007	63.8%	67.4%	5
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	37.1%	34.2%	42
Binge drinking (%) *	2007	7.5%	9.0%	49
Teen birth rate per (1,000 females aged 15-19)	2007	53	66	26
Sexually transmitted diseases (per 10,000 population)	2005-07	15	58	21
Violent crime (per 10,000 population)	2007	668	1,034	43
Motor vehicle crash deaths (per 10,000 population)	2007	3.4	2.0	64
Socioeconomic Factors				
High school graduation rate (%)	2006-07	87.4%	82.5%	42
Population (age 18-64) with high school diploma or above (%)	2000	80.5%	74.9%	19
Unemployment rate (%)	Dec, 2008	7.1%	7.9%	14
Children (age 0-17) in poverty ratio (%)	2007	22.6%	18.0%	34
Divorce rate (per 1,000 population)	2007	3.4	4.4	22
Percent of own children in single-parent households	2000	20.3%	24.9%	35
Physical Environment				
Air quality cancer risk (per 1,000,000)	2002	21.4	20.6	65
Air quality hazard index (per 1,000,000)	2002	2.1	1.6	69
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	14.8	13.9	92
Ozone level (ppb) *	2005-07	0.083	0.082	58
Nitrate levels in drinking water (mg/L)	2006-08	0.80	1.25	40
Pre-1950 housing (%)	2000	14.3%	14.3%	44
Lead poisoned children (%)	2007	0.7%	0.3%	82


* Regional Data

ROBERTSON


TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

 **Strength**

 **Challenge**

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: 27

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

LOCAL HEALTH AT GLANCE::

STRENGTHS

- Children in Poverty
- Smoking During Pregnancy
- Unemployment Rate

CHALLENGES

- Nitrates in Drinking Water
- Diabetic HbA1c testing
- Diabetic lipid profile

Data Year ROBERTSON Tennessee Rank

Health Outcomes

Mortality (years of potential life lost per 100,000 population)	2007	496.6	485.7	27
Low Birth Weight (%)	2007	8.0%	9.4%	25
General Health Status (% fair/poor health) *	2007	15.5%	20.5%	2

Health Determinants

Health Care

No Health Insurance (%) *	2007	11.0%	14.7%	1
Doctors per 100,000 population	2007	53	173	57
Dentists per 100,000 population	2007	17	43	77
Without pneumococcal vaccinations (%) *	2007	80.3%	74.3%	84
Without influenza vaccinations for the last 12 months(%) *	2007	61.6%	58.5%	71
No diabetic eye exams (%)	2007	51.6%	53.6%	37
No diabetic lipid profile (%)	2007	22.0%	18.9%	78
No diabetic HbA1c testing (%)	2007	15.6%	12.3%	85
No mammography within past 2-year Women Aged*50+ (%)	2007	14.6%	19.7%	1

Health Behaviors

Cigarette smoking (%) *	2007	25.0%	24.3%	20
Mothers smoking during pregnancy (%)	2007	18.7%	19.4%	12
Physical inactivity (% of no exercise for a month)	2007	24.2%	31.5%	2
Overweight/Obesity (% BMI > 30) *	2007	69.5%	67.4%	51
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	30.0%	34.2%	3
Binge drinking (%) *	2007	11.4%	9.0%	82
Teen birth rate per (1,000 females aged 15-19)	2007	72	66	76
Sexually transmitted diseases (per 10,000 population)	2005-07	31	58	63
Violent crime (per 10,000 population)	2007	916	1,034	72
Motor vehicle crash deaths (per 10,000 population)	2007	3.5	2.0	67

Socioeconomic Factors

High school graduation rate (%)	2006-07	90.0%	82.5%	25
Population (age 18-64) with high school diploma or above (%)	2000	79.1%	74.9%	24
Unemployment rate (%)	Dec, 2008	7.8%	7.9%	24
Children (age 0-17) in poverty ratio (%)	2007	16.7%	18.0%	9
Divorce rate (per 1,000 population)	2007	4.9	4.4	67
Percent of own children in single-parent households	2000	19.8%	24.9%	31

Physical Environment


Air quality cancer risk (per 1,000,000)	2002	24.0	20.6	75
Air quality hazard index (per 1,000,000)	2002	2.4	1.6	74
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	13.6	13.9	25
Ozone level (ppb) *	2005-07	0.081	0.082	5
Nitrate levels in drinking water (mg/L)	2006-08	5.67	1.25	94
Pre-1950 housing (%)	2000	14.4%	14.3%	46
Lead poisoned children (%)	2007	0.8%	0.3%	87


* Regional Data

RUTHERFORD


TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

 **Strength**

 **Challenge**

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: **2**

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

LOCAL HEALTH AT GLANCE::

STRENGTHS

- Pre-1950 housing
- Mortality, YPLL
- Level of Education

CHALLENGES

- Air Cancer Risk
- Air Respiratory Risk
- Divorce Rate

	Data Year	RUTHERFORD	Tennessee	Rank
Health Outcomes				
Mortality (years of potential life lost per 100,000 population)	2007	325.9	485.7	2
Low Birth Weight (%)	2007	8.1%	9.4%	27
General Health Status (% fair/poor health) *	2007	15.5%	20.5%	2
Health Determinants				
Health Care				
No Health Insurance (%) *	2007	11.0%	14.7%	1
Doctors per 100,000 population	2007	125	173	17
Dentists per 100,000 population	2007	41	43	19
Without pneumococcal vaccinations (%) *	2007	80.3%	74.3%	84
Without influenza vaccinations for the last 12 months(%) *	2007	61.6%	58.5%	71
No diabetic eye exams (%)	2007	48.2%	53.6%	20
No diabetic lipid profile (%)	2007	15.0%	18.9%	15
No diabetic HbA1c testing (%)	2007	11.2%	12.3%	42
No mammography within past 2-year Women Aged*50+ (%)	2007	14.6%	19.7%	1
Health Behaviors				
Cigarette smoking (%) *	2007	25.0%	24.3%	20
Mothers smoking during pregnancy (%)	2007	13.9%	19.4%	5
Physical inactivity (% of no exercise for a month)	2007	24.2%	31.5%	2
Overweight/Obesity (% BMI > 30) *	2007	69.5%	67.4%	51
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	30.0%	34.2%	3
Binge drinking (%) *	2007	11.4%	9.0%	82
Teen birth rate per (1,000 females aged 15-19)	2007	58	66	42
Sexually transmitted diseases (per 10,000 population)	2005-07	37	58	70
Violent crime (per 10,000 population)	2007	726	1,034	51
Motor vehicle crash deaths (per 10,000 population)	2007	1.4	2.0	18
Socioeconomic Factors				
High school graduation rate (%)	2006-07	88.2%	82.5%	35
Population (age 18-64) with high school diploma or above (%)	2000	84.9%	74.9%	4
Unemployment rate (%)	Dec, 2008	6.7%	7.9%	13
Children (age 0-17) in poverty ratio (%)	2007	13.9%	18.0%	5
Divorce rate (per 1,000 population)	2007	5.3	4.4	77
Percent of own children in single-parent households	2000	20.5%	24.9%	42
Physical Environment				
Air quality cancer risk (per 1,000,000)	2002	29.5	20.6	86
Air quality hazard index (per 1,000,000)	2002	2.8	1.6	82
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	13.6	13.9	25
Ozone level (ppb) *	2005-07	0.081	0.082	5
Nitrate levels in drinking water (mg/L)	2006-08	1.44	1.25	65
Pre-1950 housing (%)	2000	6.3%	14.3%	2
Lead poisoned children (%)	2007	0.2%	0.3%	47

* Regional Data

SCOTT


TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

 **Strength**

 **Challenge**

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: 46

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

LOCAL HEALTH AT GLANCE::

STRENGTHS

- Air Cancer Risk
- Air Respiratory Risk
- Nitrates in Drinking Water

CHALLENGES

- Unemployment Rate
- Diabetic HbA1c testing
- Level of Education

Data Year SCOTT Tennessee Rank

Health Outcomes

Mortality (years of potential life lost per 100,000 population)	2007	553.3	485.7	46
Low Birth Weight (%)	2007	7.2%	9.4%	11
General Health Status (% fair/poor health) *	2007	27.7%	20.5%	74

Health Determinants

Health Care

No Health Insurance (%) *	2007	14.0%	14.7%	40
Doctors per 100,000 population	2007	93	173	25
Dentists per 100,000 population	2007	22	43	60
Without pneumococcal vaccinations (%) *	2007	67.7%	74.3%	2
Without influenza vaccinations for the last 12 months(%) *	2007	55.3%	58.5%	12
No diabetic eye exams (%)	2007	61.2%	53.6%	83
No diabetic lipid profile (%)	2007	18.3%	18.9%	50
No diabetic HbA1c testing (%)	2007	16.1%	12.3%	87
No mammography within past 2-year Women Aged*50+ (%)	2007	25.1%	19.7%	81

Health Behaviors

Cigarette smoking (%) *	2007	25.4%	24.3%	32
Mothers smoking during pregnancy (%)	2007	28.0%	19.4%	46
Physical inactivity (% of no exercise for a month)	2007	31.2%	31.5%	16
Overweight/Obesity (% BMI > 30) *	2007	63.8%	67.4%	5
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	37.1%	34.2%	42
Binge drinking (%) *	2007	7.5%	9.0%	49
Teen birth rate per (1,000 females aged 15-19)	2007	64	66	53
Sexually transmitted diseases (per 10,000 population)	2005-07	11	58	14
Violent crime (per 10,000 population)	2007	836	1,034	63
Motor vehicle crash deaths (per 10,000 population)	2007	3.2	2.0	63

Socioeconomic Factors

High school graduation rate (%)	2006-07	84.3%	82.5%	61
Population (age 18-64) with high school diploma or above (%)	2000	67.3%	74.9%	85
Unemployment rate (%)	Dec, 2008	15.1%	7.9%	93
Children (age 0-17) in poverty ratio (%)	2007	30.6%	18.0%	80
Divorce rate (per 1,000 population)	2007	4.4	4.4	48
Percent of own children in single-parent households	2000	20.9%	24.9%	47

Physical Environment


Air quality cancer risk (per 1,000,000)	2002	13.7	20.6	5
Air quality hazard index (per 1,000,000)	2002	0.6	1.6	6
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	14.7	13.9	70
Ozone level (ppb) *	2005-07	0.083	0.082	55
Nitrate levels in drinking water (mg/L)	2006-08	0.17	1.25	6
Pre-1950 housing (%)	2000	12.4%	14.3%	30
Lead poisoned children (%)	2007	0.4%	0.3%	65


* Regional Data

SEQUATCHIE


TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

 **Strength**

 **Challenge**

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: 55

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

- LOCAL HEALTH AT GLANCE::**
- STRENGTHS**
- Diabetic lipid profile
 - Diabetic HbA1c testing
 - STD
- CHALLENGES**
- Diabetic eye exams
 - Medical Doctors
 - Motor Vehicle Fatality

Data Year SEQUATCHIE Tennessee Rank

Health Outcomes				
Mortality (years of potential life lost per 100,000 population)	2007	572.2	485.7	55
Low Birth Weight (%)	2007	7.2%	9.4%	13
General Health Status (% fair/poor health) *	2007	25.4%	20.5%	64

Health Determinants

Health Care				
No Health Insurance (%) *	2007	17.4%	14.7%	64
Doctors per 100,000 population	2007	24	173	84
Dentists per 100,000 population	2007	24	43	51
Without pneumococcal vaccinations (%) *	2007	73.7%	74.3%	48
Without influenza vaccinations for the last 12 months(%) *	2007	60.6%	58.5%	60
No diabetic eye exams (%)	2007	62.0%	53.6%	88
No diabetic lipid profile (%)	2007	12.9%	18.9%	3
No diabetic HbA1c testing (%)	2007	9.0%	12.3%	7
No mammography within past 2-year Women Aged*50+ (%)	2007	18.8%	19.7%	40

Health Behaviors

Cigarette smoking (%) *	2007	26.0%	24.3%	59
Mothers smoking during pregnancy (%)	2007	33.2%	19.4%	75
Physical inactivity (% of no exercise for a month)	2007	33.0%	31.5%	33
Overweight/Obesity (% BMI > 30) *	2007	70.8%	67.4%	64
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	33.6%	34.2%	17
Binge drinking (%) *	2007	7.4%	9.0%	39
Teen birth rate per (1,000 females aged 15-19)	2007	72	66	73
Sexually transmitted diseases (per 10,000 population)	2005-07	11	58	12
Violent crime (per 10,000 population)	2007	1,009	1,034	78
Motor vehicle crash deaths (per 10,000 population)	2007	4.5	2.0	80

Socioeconomic Factors

High school graduation rate (%)	2006-07	83.3%	82.5%	67
Population (age 18-64) with high school diploma or above (%)	2000	72.1%	74.9%	59
Unemployment rate (%)	Dec, 2008	7.4%	7.9%	18
Children (age 0-17) in poverty ratio (%)	2007	28.8%	18.0%	70
Divorce rate (per 1,000 population)	2007	4.5	4.4	50
Percent of own children in single-parent households	2000	22.8%	24.9%	76

Physical Environment

Air quality cancer risk (per 1,000,000)	2002	17.2	20.6	36
Air quality hazard index (per 1,000,000)	2002	1.7	1.6	62
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	14.7	13.9	70
Ozone level (ppb) *	2005-07	0.083	0.082	57
Nitrate levels in drinking water (mg/L)	2006-08	0.85	1.25	44
Pre-1950 housing (%)	2000	10.2%	14.3%	16
Lead poisoned children (%)	2007	0.5%	0.3%	76

* Regional Data


SEVIER

TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

- Strength
- Challenge

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: 43

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

- LOCAL HEALTH AT GLANCE::**
- STRENGTHS**
- Pre-1950 housing
 - Diabetic lipid profile
 - Diabetic HbA1c testing
- CHALLENGES**
- Divorce Rate
 - Air Respiratory Risk
 - Air Cancer Risk

	Data Year	SEVIER	Tennessee	Rank
Health Outcomes				
Mortality (years of potential life lost per 100,000 population)	2007	548.8	485.7	43
Low Birth Weight (%)	2007	8.4%	9.4%	35
General Health Status (% fair/poor health) *	2007	27.7%	20.5%	74
Health Determinants				
Health Care				
No Health Insurance (%) *	2007	14.0%	14.7%	40
Doctors per 100,000 population	2007	65	173	40
Dentists per 100,000 population	2007	25	43	41
Without pneumococcal vaccinations (%) *	2007	67.7%	74.3%	2
Without influenza vaccinations for the last 12 months(%) *	2007	55.3%	58.5%	12
No diabetic eye exams (%)	2007	49.7%	53.6%	27
No diabetic lipid profile (%)	2007	13.8%	18.9%	8
No diabetic HbA1c testing (%)	2007	9.6%	12.3%	15
No mammography within past 2-year Women Aged*50+ (%)	2007	25.1%	19.7%	81
Health Behaviors				
Cigarette smoking (%) *	2007	25.4%	24.3%	32
Mothers smoking during pregnancy (%)	2007	28.6%	19.4%	48
Physical inactivity (% of no exercise for a month)	2007	31.2%	31.5%	16
Overweight/Obesity (% BMI > 30) *	2007	63.8%	67.4%	5
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	37.1%	34.2%	42
Binge drinking (%) *	2007	7.5%	9.0%	49
Teen birth rate per (1,000 females aged 15-19)	2007	70	66	68
Sexually transmitted diseases (per 10,000 population)	2005-07	20	58	41
Violent crime (per 10,000 population)	2007	491	1,034	22
Motor vehicle crash deaths (per 10,000 population)	2007	2.2	2.0	40
Socioeconomic Factors				
High school graduation rate (%)	2006-07	87.6%	82.5%	40
Population (age 18-64) with high school diploma or above (%)	2000	77.7%	74.9%	34
Unemployment rate (%)	Dec, 2008	8.5%	7.9%	34
Children (age 0-17) in poverty ratio (%)	2007	20.1%	18.0%	19
Divorce rate (per 1,000 population)	2007	5.8	4.4	89
Percent of own children in single-parent households	2000	21.1%	24.9%	51
Physical Environment				
Air quality cancer risk (per 1,000,000)	2002	24.2	20.6	77
Air quality hazard index (per 1,000,000)	2002	2.6	1.6	80
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	14.7	13.9	70
Ozone level (ppb) *	2005-07	0.080	0.082	3
Nitrate levels in drinking water (mg/L)	2006-08	1.84	1.25	76
Pre-1950 housing (%)	2000	6.7%	14.3%	3
Lead poisoned children (%)	2007	0.0%	0.3%	1

* Regional Data

SHELBY


TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

 **Strength**

 **Challenge**

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: 18

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

- LOCAL HEALTH AT GLANCE::**
- STRENGTHS**
- Smoking During Pregnancy
 - Dentists
 - Medical Doctors
- CHALLENGES**
- STD
 - Single Parent
 - Teen Pregnancy

Data Year SHELBY Tennessee Rank

Health Outcomes

Mortality (years of potential life lost per 100,000 population)	2007	456.7	485.7	18
Low Birth Weight (%)	2007	11.1%	9.4%	93
General Health Status (% fair/poor health) *	2007	12.5%	20.5%	1

Health Determinants

Health Care

No Health Insurance (%) *	2007	13.5%	14.7%	29
Doctors per 100,000 population	2007	214	173	7
Dentists per 100,000 population	2007	57	43	6
Without pneumococcal vaccinations (%) *	2007	76.5%	74.3%	82
Without influenza vaccinations for the last 12 months(%) *	2007	58.6%	58.5%	51
No diabetic eye exams (%)	2007	52.1%	53.6%	39
No diabetic lipid profile (%)	2007	25.8%	18.9%	87
No diabetic HbA1c testing (%)	2007	15.6%	12.3%	84
No mammography within past 2-year Women Aged*50+ (%)	2007	17.9%	19.7%	15

Health Behaviors

Cigarette smoking (%) *	2007	19.0%	24.3%	2
Mothers smoking during pregnancy (%)	2007	7.5%	19.4%	2
Physical inactivity (% of no exercise for a month)	2007	26.9%	31.5%	14
Overweight/Obesity (% BMI > 30) *	2007	70.7%	67.4%	63
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	27.6%	34.2%	1
Binge drinking (%) *	2007	12.4%	9.0%	95
Teen birth rate per (1,000 females aged 15-19)	2007	93	66	93
Sexually transmitted diseases (per 10,000 population)	2005-07	141	58	94
Violent crime (per 10,000 population)	2007	1,078	1,034	81
Motor vehicle crash deaths (per 10,000 population)	2007	1.4	2.0	16

Socioeconomic Factors

High school graduation rate (%)	2006-07	74.6%	82.5%	90
Population (age 18-64) with high school diploma or above (%)	2000	82.4%	74.9%	16
Unemployment rate (%)	Dec, 2008	7.5%	7.9%	19
Children (age 0-17) in poverty ratio (%)	2007	29.6%	18.0%	76
Divorce rate (per 1,000 population)	2007	2.7	4.4	13
Percent of own children in single-parent households	2000	35.1%	24.9%	94

Physical Environment

Air quality cancer risk (per 1,000,000)	2002	37.0	20.6	91
Air quality hazard index (per 1,000,000)	2002	4.5	1.6	92
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	13.3	13.9	5
Ozone level (ppb) *	2005-07	0.083	0.082	60
Nitrate levels in drinking water (mg/L)	2006-08	0.62	1.25	34
Pre-1950 housing (%)	2000	14.6%	14.3%	51
Lead poisoned children (%)	2007	0.1%	0.3%	41


* Regional Data

SMITH


TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

 **Strength**

 **Challenge**

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: **31**

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

LOCAL HEALTH AT GLANCE::

STRENGTHS

- High School Grad Rate
- Teen Pregnancy
- STD

CHALLENGES

- Crime Rate
- Pre-1950 housing
- Low Birth Weight

	Data Year	SMITH	Tennessee	Rank
--	-----------	-------	-----------	------

Health Outcomes				
Mortality (years of potential life lost per 100,000 population)	2007	515.1	485.7	31
Low Birth Weight (%)	2007	12.5%	9.4%	89
General Health Status (% fair/poor health) *	2007	22.5%	20.5%	18

Health Determinants

Health Care				
No Health Insurance (%) *	2007	13.2%	14.7%	15
Doctors per 100,000 population	2007	68	173	38
Dentists per 100,000 population	2007	11	43	87
Without pneumococcal vaccinations (%) *	2007	70.4%	74.3%	17
Without influenza vaccinations for the last 12 months(%) *	2007	57.5%	58.5%	37
No diabetic eye exams (%)	2007	52.6%	53.6%	43
No diabetic lipid profile (%)	2007	25.2%	18.9%	85
No diabetic HbA1c testing (%)	2007	15.0%	12.3%	78
No mammography within past 2-year Women Aged*50+ (%)	2007	17.9%	19.7%	15

Health Behaviors

Cigarette smoking (%) *	2007	23.5%	24.3%	6
Mothers smoking during pregnancy (%)	2007	35.3%	19.4%	81
Physical inactivity (% of no exercise for a month)	2007	36.5%	31.5%	44
Overweight/Obesity (% BMI > 30) *	2007	65.8%	67.4%	20
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	35.9%	34.2%	28
Binge drinking (%) *	2007	5.7%	9.0%	11
Teen birth rate per (1,000 females aged 15-19)	2007	42	66	8
Sexually transmitted diseases (per 10,000 population)	2005-07	16	58	24
Violent crime (per 10,000 population)	2007	1,630	1,034	95
Motor vehicle crash deaths (per 10,000 population)	2007	2.1	2.0	39

Socioeconomic Factors

High school graduation rate (%)	2006-07	95.4%	82.5%	3
Population (age 18-64) with high school diploma or above (%)	2000	74.7%	74.9%	51
Unemployment rate (%)	Dec, 2008	11.3%	7.9%	77
Children (age 0-17) in poverty ratio (%)	2007	21.1%	18.0%	24
Divorce rate (per 1,000 population)	2007	5.5	4.4	80
Percent of own children in single-parent households	2000	19.5%	24.9%	25

Physical Environment

Air quality cancer risk (per 1,000,000)	2002	15.4	20.6	27
Air quality hazard index (per 1,000,000)	2002	0.9	1.6	30
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	13.6	13.9	25
Ozone level (ppb) *	2005-07	0.081	0.082	5
Nitrate levels in drinking water (mg/L)	2006-08	0.51	1.25	25
Pre-1950 housing (%)	2000	21.1%	14.3%	90
Lead poisoned children (%)	2007	0.5%	0.3%	71

* Regional Data

STEWART


TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

 **Strength**

 **Challenge**

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: 22

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

- LOCAL HEALTH AT GLANCE::**
- STRENGTHS**
- High School Grad Rate
 - Diabetic eye exams
 - Crime Rate
- CHALLENGES**
- Smoking During Pregnancy
 - Medical Doctors
 - Dentists


	Data Year	STEWART	Tennessee	Rank
Health Outcomes				
Mortality (years of potential life lost per 100,000 population)	2007	491.9	485.7	22
Low Birth Weight (%)	2007	6.9%	9.4%	8
General Health Status (% fair/poor health) *	2007	15.5%	20.5%	2
Health Determinants				
Health Care				
No Health Insurance (%) *	2007	11.0%	14.7%	1
Doctors per 100,000 population	2007	37	173	74
Dentists per 100,000 population	2007	22	43	58
Without pneumococcal vaccinations (%) *	2007	80.3%	74.3%	84
Without influenza vaccinations for the last 12 months(%) *	2007	61.6%	58.5%	71
No diabetic eye exams (%)	2007	43.8%	53.6%	3
No diabetic lipid profile (%)	2007	19.4%	18.9%	56
No diabetic HbA1c testing (%)	2007	11.7%	12.3%	48
No mammography within past 2-year Women Aged*50+ (%)	2007	14.6%	19.7%	1
Health Behaviors				
Cigarette smoking (%) *	2007	25.0%	24.3%	20
Mothers smoking during pregnancy (%)	2007	40.5%	19.4%	93
Physical inactivity (% of no exercise for a month)	2007	24.2%	31.5%	2
Overweight/Obesity (% BMI > 30) *	2007	69.5%	67.4%	51
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	30.0%	34.2%	3
Binge drinking (%) *	2007	11.4%	9.0%	82
Teen birth rate per (1,000 females aged 15-19)	2007	41	66	7
Sexually transmitted diseases (per 10,000 population)	2005-07	22	58	43
Violent crime (per 10,000 population)	2007	341	1,034	6
Motor vehicle crash deaths (per 10,000 population)	2007	1.5	2.0	27
Socioeconomic Factors				
High school graduation rate (%)	2006-07	96.3%	82.5%	1
Population (age 18-64) with high school diploma or above (%)	2000	82.6%	74.9%	12
Unemployment rate (%)	Dec, 2008	9.3%	7.9%	47
Children (age 0-17) in poverty ratio (%)	2007	20.1%	18.0%	19
Divorce rate (per 1,000 population)	2007	4.2	4.4	41
Percent of own children in single-parent households	2000	17.6%	24.9%	8
Physical Environment				
Air quality cancer risk (per 1,000,000)	2002	14.2	20.6	12
Air quality hazard index (per 1,000,000)	2002	0.7	1.6	13
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	13.6	13.9	25
Ozone level (ppb) *	2005-07	0.081	0.082	5
Nitrate levels in drinking water (mg/L)	2006-08	0.97	1.25	48
Pre-1950 housing (%)	2000	13.9%	14.3%	42
Lead poisoned children (%)	2007	0.0%	0.3%	1


* Regional Data

SULLIVAN


TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

 **Strength**

 **Challenge**

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: 58

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

LOCAL HEALTH AT GLANCE::

STRENGTHS

- Dentists
- Unemployment Rate
- Medical Doctors

CHALLENGES

- Air Cancer Risk
- Air Respiratory Risk
- Pre-1950 housing

Health Outcomes

	Data Year	SULLIVAN	Tennessee	Rank
Mortality (years of potential life lost per 100,000 population)	2007	579.4	485.7	58
Low Birth Weight (%)	2007	9.8%	9.4%	71
General Health Status (% fair/poor health) *	2007	24.6%	20.5%	63

Health Determinants

Health Care

No Health Insurance (%) *	2007	17.9%	14.7%	74
Doctors per 100,000 population	2007	284	173	5
Dentists per 100,000 population	2007	63	43	3
Without pneumococcal vaccinations (%) *	2007	67.3%	74.3%	1
Without influenza vaccinations for the last 12 months(%) *	2007	53.4%	58.5%	2
No diabetic eye exams (%)	2007	53.6%	53.6%	49
No diabetic lipid profile (%)	2007	20.0%	18.9%	64
No diabetic HbA1c testing (%)	2007	10.0%	12.3%	20
No mammography within past 2-year Women Aged*50+ (%)	2007	16.9%	19.7%	14

Health Behaviors

Cigarette smoking (%) *	2007	30.4%	24.3%	85
Mothers smoking during pregnancy (%)	2007	29.8%	19.4%	57
Physical inactivity (% of no exercise for a month)	2007	34.4%	31.5%	43
Overweight/Obesity (% BMI > 30) *	2007	60.6%	67.4%	1
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	32.6%	34.2%	16
Binge drinking (%) *	2007	8.5%	9.0%	71
Teen birth rate per (1,000 females aged 15-19)	2007	60	66	45
Sexually transmitted diseases (per 10,000 population)	2005-07	31	58	64
Violent crime (per 10,000 population)	2007	467	1,034	16
Motor vehicle crash deaths (per 10,000 population)	2007	1.2	2.0	10

Socioeconomic Factors

High school graduation rate (%)	2006-07	81.7%	82.5%	77
Population (age 18-64) with high school diploma or above (%)	2000	80.4%	74.9%	20
Unemployment rate (%)	Dec, 2008	5.8%	7.9%	4
Children (age 0-17) in poverty ratio (%)	2007	22.4%	18.0%	30
Divorce rate (per 1,000 population)	2007	4.8	4.4	61
Percent of own children in single-parent households	2000	20.0%	24.9%	33

Physical Environment

Air quality cancer risk (per 1,000,000)	2002	40.4	20.6	92
Air quality hazard index (per 1,000,000)	2002	3.7	1.6	89
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	14.5	13.9	62
Ozone level (ppb) *	2005-07	0.082	0.082	44
Nitrate levels in drinking water (mg/L)	2006-08	1.08	1.25	53
Pre-1950 housing (%)	2000	19.4%	14.3%	84
Lead poisoned children (%)	2007	0.7%	0.3%	81

* Regional Data


SUMNER

TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

- Strength
- Challenge

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: 5

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

- LOCAL HEALTH AT GLANCE::**
- STRENGTHS**
- Children in Poverty
 - Mortality, YPLL
 - Pre-1950 housing
- CHALLENGES**
- Air Cancer Risk
 - Crime Rate
 - Air Respiratory Risk

Health Outcomes

	Data Year	SUMNER	Tennessee	Rank
Mortality (years of potential life lost per 100,000 population)	2007	394.4	485.7	5
Low Birth Weight (%)	2007	8.9%	9.4%	48
General Health Status (% fair/poor health) *	2007	15.5%	20.5%	2

Health Determinants

Health Care

No Health Insurance (%) *	2007	11.0%	14.7%	1
Doctors per 100,000 population	2007	91	173	26
Dentists per 100,000 population	2007	35	43	23
Without pneumococcal vaccinations (%) *	2007	80.3%	74.3%	84
Without influenza vaccinations for the last 12 months(%) *	2007	61.6%	58.5%	71
No diabetic eye exams (%)	2007	56.0%	53.6%	68
No diabetic lipid profile (%)	2007	15.9%	18.9%	24
No diabetic HbA1c testing (%)	2007	11.4%	12.3%	44
No mammography within past 2-year Women Aged*50+ (%)	2007	14.6%	19.7%	1

Health Behaviors

Cigarette smoking (%) *	2007	25.0%	24.3%	20
Mothers smoking during pregnancy (%)	2007	20.8%	19.4%	20
Physical inactivity (% of no exercise for a month)	2007	24.2%	31.5%	2
Overweight/Obesity (% BMI > 30) *	2007	69.5%	67.4%	51
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	30.0%	34.2%	3
Binge drinking (%) *	2007	11.4%	9.0%	82
Teen birth rate per (1,000 females aged 15-19)	2007	58	66	40
Sexually transmitted diseases (per 10,000 population)	2005-07	24	58	48
Violent crime (per 10,000 population)	2007	1,166	1,034	87
Motor vehicle crash deaths (per 10,000 population)	2007	1.2	2.0	11

Socioeconomic Factors

High school graduation rate (%)	2006-07	88.4%	82.5%	33
Population (age 18-64) with high school diploma or above (%)	2000	82.9%	74.9%	10
Unemployment rate (%)	Dec, 2008	7.3%	7.9%	17
Children (age 0-17) in poverty ratio (%)	2007	13.4%	18.0%	4
Divorce rate (per 1,000 population)	2007	4.8	4.4	61
Percent of own children in single-parent households	2000	19.4%	24.9%	22

Physical Environment

Air quality cancer risk (per 1,000,000)	2002	32.2	20.6	89
Air quality hazard index (per 1,000,000)	2002	2.8	1.6	84
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	13.8	13.9	59
Ozone level (ppb) *	2005-07	0.084	0.082	90
Nitrate levels in drinking water (mg/L)	2006-08	1.07	1.25	51
Pre-1950 housing (%)	2000	7.6%	14.3%	6
Lead poisoned children (%)	2007	0.3%	0.3%	55

* Regional Data


TIPTON

TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

- Strength
- Challenge

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: 14

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

- LOCAL HEALTH AT GLANCE::**
- STRENGTHS**
- Nitrates in Drinking Water
 - Motor Vehicle Fatality
 - Mortality, YPLL
- CHALLENGES**
- Divorce Rate
 - STD
 - Single Parent

	Data Year	TIPTON	Tennessee	Rank
--	-----------	--------	-----------	------

Health Outcomes				
Mortality (years of potential life lost per 100,000 population)	2007	473.3	485.7	14
Low Birth Weight (%)	2007	9.0%	9.4%	49
General Health Status (% fair/poor health) *	2007	24.5%	20.5%	53

Health Determinants

Health Care				
No Health Insurance (%) *	2007	13.6%	14.7%	30
Doctors per 100,000 population	2007	60	173	46
Dentists per 100,000 population	2007	18	43	72
Without pneumococcal vaccinations (%) *	2007	75.9%	74.3%	59
Without influenza vaccinations for the last 12 months(%) *	2007	57.0%	58.5%	27
No diabetic eye exams (%)	2007	51.7%	53.6%	38
No diabetic lipid profile (%)	2007	22.5%	18.9%	80
No diabetic HbA1c testing (%)	2007	15.4%	12.3%	81
No mammography within past 2-year Women Aged*50+ (%)	2007	18.7%	19.7%	30

Health Behaviors				
Cigarette smoking (%) *	2007	31.0%	24.3%	86
Mothers smoking during pregnancy (%)	2007	25.6%	19.4%	32
Physical inactivity (% of no exercise for a month)	2007	37.7%	31.5%	67
Overweight/Obesity (% BMI > 30) *	2007	75.3%	67.4%	86
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	41.9%	34.2%	77
Binge drinking (%) *	2007	4.7%	9.0%	1
Teen birth rate per (1,000 females aged 15-19)	2007	61	66	48
Sexually transmitted diseases (per 10,000 population)	2005-07	68	58	85
Violent crime (per 10,000 population)	2007	738	1,034	52
Motor vehicle crash deaths (per 10,000 population)	2007	0.9	2.0	4

Socioeconomic Factors				
High school graduation rate (%)	2006-07	91.0%	82.5%	19
Population (age 18-64) with high school diploma or above (%)	2000	78.3%	74.9%	31
Unemployment rate (%)	Dec, 2008	9.7%	7.9%	55
Children (age 0-17) in poverty ratio (%)	2007	23.7%	18.0%	42
Divorce rate (per 1,000 population)	2007	10.8	4.4	94
Percent of own children in single-parent households	2000	23.8%	24.9%	82


Physical Environment				
Air quality cancer risk (per 1,000,000)	2002	20.4	20.6	55
Air quality hazard index (per 1,000,000)	2002	1.7	1.6	64
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	13.3	13.9	5
Ozone level (ppb) *	2005-07	0.083	0.082	60
Nitrate levels in drinking water (mg/L)	2006-08	0.10	1.25	1
Pre-1950 housing (%)	2000	10.2%	14.3%	15
Lead poisoned children (%)	2007	0.1%	0.3%	45


* Regional Data

TROUSDALE


TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

 **Strength**

 **Challenge**

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: **75**

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

- LOCAL HEALTH AT GLANCE::**
- STRENGTHS**
- Teen Pregnancy
 - Nitrates in Drinking Water
 - High School Grad Rate
- CHALLENGES**
- Diabetic eye exams
 - Motor Vehicle Fatality
 - Smoking During Pregnancy

	Data Year	TROUSDALE	Tennessee	Rank
Health Outcomes				
Mortality (years of potential life lost per 100,000 population)	2007	622.3	485.7	75
Low Birth Weight (%)	2007	12.1%	9.4%	87
General Health Status (% fair/poor health) *	2007	15.5%	20.5%	2
Health Determinants				
Health Care				
No Health Insurance (%) *	2007	11.0%	14.7%	1
Doctors per 100,000 population	2007	39	173	72
Dentists per 100,000 population	2007	13	43	83
Without pneumococcal vaccinations (%) *	2007	80.3%	74.3%	84
Without influenza vaccinations for the last 12 months(%) *	2007	61.6%	58.5%	71
No diabetic eye exams (%)	2007	64.1%	53.6%	93
No diabetic lipid profile (%)	2007	18.3%	18.9%	48
No diabetic HbA1c testing (%)	2007	12.2%	12.3%	52
No mammography within past 2-year Women Aged*50+ (%)	2007	14.6%	19.7%	1
Health Behaviors				
Cigarette smoking (%) *	2007	25.0%	24.3%	20
Mothers smoking during pregnancy (%)	2007	38.4%	19.4%	89
Physical inactivity (% of no exercise for a month)	2007	24.2%	31.5%	2
Overweight/Obesity (% BMI > 30) *	2007	69.5%	67.4%	51
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	30.0%	34.2%	3
Binge drinking (%) *	2007	11.4%	9.0%	82
Teen birth rate per (1,000 females aged 15-19)	2007	35	66	4
Sexually transmitted diseases (per 10,000 population)	2005-07	27	58	56
Violent crime (per 10,000 population)	2007	882	1,034	68
Motor vehicle crash deaths (per 10,000 population)	2007	7.8	2.0	93
Socioeconomic Factors				
High school graduation rate (%)	2006-07	92.2%	82.5%	13
Population (age 18-64) with high school diploma or above (%)	2000	69.9%	74.9%	74
Unemployment rate (%)	Dec, 2008	8.7%	7.9%	36
Children (age 0-17) in poverty ratio (%)	2007	21.6%	18.0%	28
Divorce rate (per 1,000 population)	2007	5.0	4.4	69
Percent of own children in single-parent households	2000	18.9%	24.9%	15
Physical Environment				
Air quality cancer risk (per 1,000,000)	2002	16.8	20.6	34
Air quality hazard index (per 1,000,000)	2002	1.0	1.6	36
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	13.6	13.9	25
Ozone level (ppb) *	2005-07	0.081	0.082	5
Nitrate levels in drinking water (mg/L)	2006-08	0.20	1.25	7
Pre-1950 housing (%)	2000	18.0%	14.3%	73
Lead poisoned children (%)	2007	0.0%	0.3%	1

* Regional Data


UNICOI

TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

- Strength
- Challenge

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: 93

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

- LOCAL HEALTH AT GLANCE::**
- STRENGTHS**
- STD
 - Low Birth Weight
 - Single Parent
- CHALLENGES**
- Pre-1950 housing
 - Diabetic eye exams
 - Smoking During Pregnancy

Health Outcomes

	Data Year	UNICOI	Tennessee	Rank
Mortality (years of potential life lost per 100,000 population)	2007	767.6	485.7	93
Low Birth Weight (%)	2007	7.2%	9.4%	14
General Health Status (% fair/poor health) *	2007	28.5%	20.5%	89

Health Determinants

Health Care

No Health Insurance (%) *	2007	16.4%	14.7%	56
Doctors per 100,000 population	2007	61	173	42
Dentists per 100,000 population	2007	22	43	58
Without pneumococcal vaccinations (%) *	2007	72.3%	74.3%	31
Without influenza vaccinations for the last 12 months(%) *	2007	59.3%	58.5%	53
No diabetic eye exams (%)	2007	65.1%	53.6%	94
No diabetic lipid profile (%)	2007	21.1%	18.9%	75
No diabetic HbA1c testing (%)	2007	15.4%	12.3%	82
No mammography within past 2-year Women Aged*50+ (%)	2007	23.3%	19.7%	73

Health Behaviors

Cigarette smoking (%) *	2007	28.9%	24.3%	69
Mothers smoking during pregnancy (%)	2007	43.9%	19.4%	94
Physical inactivity (% of no exercise for a month)	2007	38.4%	31.5%	77
Overweight/Obesity (% BMI > 30) *	2007	67.6%	67.4%	35
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	41.5%	34.2%	70
Binge drinking (%) *	2007	7.9%	9.0%	64
Teen birth rate per (1,000 females aged 15-19)	2007	52	66	24
Sexually transmitted diseases (per 10,000 population)	2005-07	11	58	10
Violent crime (per 10,000 population)	2007	712	1,034	48
Motor vehicle crash deaths (per 10,000 population)	2007	3.4	2.0	65

Socioeconomic Factors

High school graduation rate (%)	2006-07	85.0%	82.5%	58
Population (age 18-64) with high school diploma or above (%)	2000	76.8%	74.9%	38
Unemployment rate (%)	Dec, 2008	8.2%	7.9%	31
Children (age 0-17) in poverty ratio (%)	2007	23.3%	18.0%	37
Divorce rate (per 1,000 population)	2007	3.7	4.4	32
Percent of own children in single-parent households	2000	19.4%	24.9%	22

Physical Environment

Air quality cancer risk (per 1,000,000)	2002	21.9	20.6	68
Air quality hazard index (per 1,000,000)	2002	2.6	1.6	79
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	14.5	13.9	62
Ozone level (ppb) *	2005-07	0.082	0.082	44
Nitrate levels in drinking water (mg/L)	2006-08	2.73	1.25	85
Pre-1950 housing (%)	2000	26.7%	14.3%	95
Lead poisoned children (%)	2007	0.5%	0.3%	75

* Regional Data

UNION


TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

 **Strength**

 **Challenge**

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: 45

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

LOCAL HEALTH AT GLANCE::

STRENGTHS

- Diabetic lipid profile
- Pre-1950 housing
- Single Parent

CHALLENGES

- Diabetic eye exams
- Level of Education
- High School Grad Rate

Health Outcomes

	Data Year	UNION	Tennessee	Rank
Mortality (years of potential life lost per 100,000 population)	2007	552.2	485.7	45
Low Birth Weight (%)	2007	11.1%	9.4%	78
General Health Status (% fair/poor health) *	2007	27.7%	20.5%	74

Health Determinants

Health Care

No Health Insurance (%) *	2007	14.0%	14.7%	40
Doctors per 100,000 population	2007	25	173	83
Dentists per 100,000 population	2007	10	43	88
Without pneumococcal vaccinations (%) *	2007	67.7%	74.3%	2
Without influenza vaccinations for the last 12 months(%) *	2007	55.3%	58.5%	12
No diabetic eye exams (%)	2007	64.0%	53.6%	92
No diabetic lipid profile (%)	2007	13.6%	18.9%	6
No diabetic HbA1c testing (%)	2007	12.5%	12.3%	57
No mammography within past 2-year Women Aged*50+ (%)	2007	25.1%	19.7%	81

Health Behaviors

Cigarette smoking (%) *	2007	25.4%	24.3%	32
Mothers smoking during pregnancy (%)	2007	37.3%	19.4%	87
Physical inactivity (% of no exercise for a month)	2007	31.2%	31.5%	16
Overweight/Obesity (% BMI > 30) *	2007	63.8%	67.4%	5
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	37.1%	34.2%	42
Binge drinking (%) *	2007	7.5%	9.0%	49
Teen birth rate per (1,000 females aged 15-19)	2007	59	66	43
Sexually transmitted diseases (per 10,000 population)	2005-07	14	58	18
Violent crime (per 10,000 population)	2007	472	1,034	17
Motor vehicle crash deaths (per 10,000 population)	2007	4.8	2.0	83

Socioeconomic Factors

High school graduation rate (%)	2006-07	77.0%	82.5%	88
Population (age 18-64) with high school diploma or above (%)	2000	63.3%	74.9%	92
Unemployment rate (%)	Dec, 2008	7.9%	7.9%	25
Children (age 0-17) in poverty ratio (%)	2007	30.3%	18.0%	78
Divorce rate (per 1,000 population)	2007	4.0	4.4	39
Percent of own children in single-parent households	2000	19.0%	24.9%	16

Physical Environment

Air quality cancer risk (per 1,000,000)	2002	21.6	20.6	66
Air quality hazard index (per 1,000,000)	2002	2.2	1.6	72
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	14.7	13.9	70
Ozone level (ppb) *	2005-07	0.082	0.082	42
Nitrate levels in drinking water (mg/L)	2006-08	1.58	1.25	68
Pre-1950 housing (%)	2000	9.4%	14.3%	9
Lead poisoned children (%)	2007	0.0%	0.3%	1

* Regional Data

VAN BUREN


TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

Strength

Challenge

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: 52

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

- LOCAL HEALTH AT GLANCE::**
- STRENGTHS**
- Diabetic HbA1c testing
 - Low Birth Weight
 - Nitrates in Drinking Water
- CHALLENGES**
- Medical Doctors
 - Dentists
 - Unemployment Rate


	Data Year	VAN BUREN	Tennessee	Rank
Health Outcomes				
Mortality (years of potential life lost per 100,000 population)	2007	567.5	485.7	52
Low Birth Weight (%)	2007	5.8%	9.4%	3
General Health Status (% fair/poor health) *	2007	22.5%	20.5%	18
Health Determinants				
Health Care				
No Health Insurance (%) *	2007	13.2%	14.7%	15
Doctors per 100,000 population	2007	0	173	95
Dentists per 100,000 population	2007	0	43	92
Without pneumococcal vaccinations (%) *	2007	70.4%	74.3%	17
Without influenza vaccinations for the last 12 months(%) *	2007	57.5%	58.5%	37
No diabetic eye exams (%)	2007	58.0%	53.6%	75
No diabetic lipid profile (%)	2007	13.3%	18.9%	5
No diabetic HbA1c testing (%)	2007	8.0%	12.3%	2
No mammography within past 2-year Women Aged*50+ (%)	2007	17.9%	19.7%	15
Health Behaviors				
Cigarette smoking (%) *	2007	23.5%	24.3%	6
Mothers smoking during pregnancy (%)	2007	21.2%	19.4%	21
Physical inactivity (% of no exercise for a month)	2007	36.5%	31.5%	44
Overweight/Obesity (% BMI > 30) *	2007	65.8%	67.4%	20
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	35.9%	34.2%	28
Binge drinking (%) *	2007	5.7%	9.0%	11
Teen birth rate per (1,000 females aged 15-19)	2007	64	66	54
Sexually transmitted diseases (per 10,000 population)	2005-07	16	58	27
Violent crime (per 10,000 population)	2007	420	1,034	10
Motor vehicle crash deaths (per 10,000 population)	2007	3.7	2.0	70
Socioeconomic Factors				
High school graduation rate (%)	2006-07	93.5%	82.5%	7
Population (age 18-64) with high school diploma or above (%)	2000	70.6%	74.9%	69
Unemployment rate (%)	Dec, 2008	11.1%	7.9%	76
Children (age 0-17) in poverty ratio (%)	2007	28.5%	18.0%	69
Divorce rate (per 1,000 population)	2007	2.4	4.4	8
Percent of own children in single-parent households	2000	22.7%	24.9%	73
Physical Environment				
Air quality cancer risk (per 1,000,000)	2002	14.4	20.6	17
Air quality hazard index (per 1,000,000)	2002	0.7	1.6	12
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	13.6	13.9	25
Ozone level (ppb) *	2005-07	0.081	0.082	5
Nitrate levels in drinking water (mg/L)	2006-08	0.15	1.25	5
Pre-1950 housing (%)	2000	13.3%	14.3%	39
Lead poisoned children (%)	2007	0.0%	0.3%	1


* Regional Data

WARREN


TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

 **Strength**

 **Challenge**

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: 53

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

LOCAL HEALTH AT GLANCE::

STRENGTHS

- Crime Rate
- Diabetic HbA1c testing
- Diabetic lipid profile

CHALLENGES

- Unemployment Rate
- High School Grad Rate
- Nitrates in Drinking Water


	Data Year	WARREN	Tennessee	Rank
Health Outcomes				
Mortality (years of potential life lost per 100,000 population)	2007	567.9	485.7	53
Low Birth Weight (%)	2007	9.5%	9.4%	64
General Health Status (% fair/poor health) *	2007	22.5%	20.5%	18
Health Determinants				
Health Care				
No Health Insurance (%) *	2007	13.2%	14.7%	15
Doctors per 100,000 population	2007	97	173	24
Dentists per 100,000 population	2007	25	43	46
Without pneumococcal vaccinations (%) *	2007	70.4%	74.3%	17
Without influenza vaccinations for the last 12 months(%) *	2007	57.5%	58.5%	37
No diabetic eye exams (%)	2007	50.4%	53.6%	31
No diabetic lipid profile (%)	2007	14.4%	18.9%	11
No diabetic HbA1c testing (%)	2007	9.1%	12.3%	8
No mammography within past 2-year Women Aged*50+ (%)	2007	17.9%	19.7%	15
Health Behaviors				
Cigarette smoking (%) *	2007	23.5%	24.3%	6
Mothers smoking during pregnancy (%)	2007	28.2%	19.4%	47
Physical inactivity (% of no exercise for a month)	2007	36.5%	31.5%	44
Overweight/Obesity (% BMI > 30) *	2007	65.8%	67.4%	20
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	35.9%	34.2%	28
Binge drinking (%) *	2007	5.7%	9.0%	11
Teen birth rate per (1,000 females aged 15-19)	2007	66	66	59
Sexually transmitted diseases (per 10,000 population)	2005-07	31	58	61
Violent crime (per 10,000 population)	2007	245	1,034	1
Motor vehicle crash deaths (per 10,000 population)	2007	2.0	2.0	35
Socioeconomic Factors				
High school graduation rate (%)	2006-07	81.6%	82.5%	78
Population (age 18-64) with high school diploma or above (%)	2000	71.6%	74.9%	63
Unemployment rate (%)	Dec, 2008	12.3%	7.9%	87
Children (age 0-17) in poverty ratio (%)	2007	24.0%	18.0%	44
Divorce rate (per 1,000 population)	2007	4.2	4.4	41
Percent of own children in single-parent households	2000	22.2%	24.9%	66
Physical Environment				
Air quality cancer risk (per 1,000,000)	2002	19.8	20.6	52
Air quality hazard index (per 1,000,000)	2002	1.1	1.6	45
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	13.6	13.9	25
Ozone level (ppb) *	2005-07	0.081	0.082	5
Nitrate levels in drinking water (mg/L)	2006-08	1.63	1.25	71
Pre-1950 housing (%)	2000	14.5%	14.3%	49
Lead poisoned children (%)	2007	0.7%	0.3%	79


* Regional Data

WASHINGTON


TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

 **Strength**

 **Challenge**

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: 29

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

LOCAL HEALTH AT GLANCE::

STRENGTHS

- Medical Doctors
- Unemployment Rate
- Dentists

CHALLENGES

- Air Respiratory Risk
- Air Cancer Risk
- Diabetic HbA1c testing

Data Year WASHINGTON Tennessee Rank

Health Outcomes				
Mortality (years of potential life lost per 100,000 population)	2007	508.7	485.7	29
Low Birth Weight (%)	2007	9.0%	9.4%	51
General Health Status (% fair/poor health) *	2007	28.5%	20.5%	89

Health Determinants				
Health Care				
No Health Insurance (%) *	2007	16.4%	14.7%	56
Doctors per 100,000 population	2007	359	173	1
Dentists per 100,000 population	2007	50	43	10
Without pneumococcal vaccinations (%) *	2007	72.3%	74.3%	31
Without influenza vaccinations for the last 12 months(%) *	2007	59.3%	58.5%	53
No diabetic eye exams (%)	2007	53.1%	53.6%	44
No diabetic lipid profile (%)	2007	20.1%	18.9%	67
No diabetic HbA1c testing (%)	2007	15.1%	12.3%	80
No mammography within past 2-year Women Aged*50+ (%)	2007	23.3%	19.7%	73

Health Behaviors				
Cigarette smoking (%) *	2007	28.9%	24.3%	69
Mothers smoking during pregnancy (%)	2007	25.4%	19.4%	31
Physical inactivity (% of no exercise for a month)	2007	38.4%	31.5%	77
Overweight/Obesity (% BMI > 30) *	2007	67.6%	67.4%	35
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	41.5%	34.2%	70
Binge drinking (%) *	2007	7.9%	9.0%	64
Teen birth rate per (1,000 females aged 15-19)	2007	46	66	14
Sexually transmitted diseases (per 10,000 population)	2005-07	22	58	46
Violent crime (per 10,000 population)	2007	909	1,034	70
Motor vehicle crash deaths (per 10,000 population)	2007	1.9	2.0	33

Socioeconomic Factors				
High school graduation rate (%)	2006-07	84.9%	82.5%	60
Population (age 18-64) with high school diploma or above (%)	2000	82.8%	74.9%	11
Unemployment rate (%)	Dec, 2008	6.1%	7.9%	7
Children (age 0-17) in poverty ratio (%)	2007	20.8%	18.0%	22
Divorce rate (per 1,000 population)	2007	4.6	4.4	53
Percent of own children in single-parent households	2000	22.2%	24.9%	66

Physical Environment				
Air quality cancer risk (per 1,000,000)	2002	33.6	20.6	90
Air quality hazard index (per 1,000,000)	2002	4.1	1.6	91
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	14.5	13.9	62
Ozone level (ppb) *	2005-07	0.082	0.082	44
Nitrate levels in drinking water (mg/L)	2006-08	0.48	1.25	24
Pre-1950 housing (%)	2000	16.6%	14.3%	69
Lead poisoned children (%)	2007	0.8%	0.3%	86

* Regional Data

WAYNE


TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

 **Strength**

 **Challenge**

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: 59

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

LOCAL HEALTH AT GLANCE::

STRENGTHS

- Motor Vehicle Fatality
- Air Cancer Risk
- Air Respiratory Risk

CHALLENGES

- Diabetic eye exams
- Diabetic HbA1c testing
- Dentists

Data Year WAYNE Tennessee Rank

Health Outcomes

Mortality (years of potential life lost per 100,000 population)	2007	581.0	485.7	59
Low Birth Weight (%)	2007	8.4%	9.4%	33
General Health Status (% fair/poor health) *	2007	23.4%	20.5%	32

Health Determinants

Health Care

No Health Insurance (%) *	2007	18.0%	14.7%	75
Doctors per 100,000 population	2007	46	173	63
Dentists per 100,000 population	2007	11	43	86
Without pneumococcal vaccinations (%) *	2007	76.1%	74.3%	69
Without influenza vaccinations for the last 12 months(%) *	2007	66.3%	58.5%	84
No diabetic eye exams (%)	2007	62.3%	53.6%	89
No diabetic lipid profile (%)	2007	21.1%	18.9%	76
No diabetic HbA1c testing (%)	2007	17.6%	12.3%	89
No mammography within past 2-year Women Aged*50+ (%)	2007	20.5%	19.7%	51

Health Behaviors

Cigarette smoking (%) *	2007	25.5%	24.3%	47
Mothers smoking during pregnancy (%)	2007	32.3%	19.4%	67
Physical inactivity (% of no exercise for a month)	2007	40.8%	31.5%	84
Overweight/Obesity (% BMI > 30) *	2007	71.0%	67.4%	74
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	40.0%	34.2%	58
Binge drinking (%) *	2007	6.9%	9.0%	25
Teen birth rate per (1,000 females aged 15-19)	2007	47	66	15
Sexually transmitted diseases (per 10,000 population)	2005-07	7	58	4
Violent crime (per 10,000 population)	2007	461	1,034	15
Motor vehicle crash deaths (per 10,000 population)	2007	0.6	2.0	2

Socioeconomic Factors

High school graduation rate (%)	2006-07	88.6%	82.5%	32
Population (age 18-64) with high school diploma or above (%)	2000	68.1%	74.9%	83
Unemployment rate (%)	Dec, 2008	12.2%	7.9%	85
Children (age 0-17) in poverty ratio (%)	2007	27.1%	18.0%	64
Divorce rate (per 1,000 population)	2007	4.1	4.4	40
Percent of own children in single-parent households	2000	18.4%	24.9%	12

Physical Environment

Air quality cancer risk (per 1,000,000)	2002	13.4	20.6	2
Air quality hazard index (per 1,000,000)	2002	0.5	1.6	2
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	13.6	13.9	25
Ozone level (ppb) *	2005-07	0.081	0.082	5
Nitrate levels in drinking water (mg/L)	2006-08	0.52	1.25	27
Pre-1950 housing (%)	2000	13.5%	14.3%	40
Lead poisoned children (%)	2007	0.0%	0.3%	1

* Regional Data

WEAKLEY

TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read

Indicators:




Strength



Challenge

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: 8

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

- LOCAL HEALTH AT GLANCE::
- STRENGTHS**
- Teen Pregnancy
 - Low Birth Weight
 - Mortality, YPLL
- CHALLENGES**
- Nitrates in Drinking Water
 - Pre-1950 housing
 - Divorce Rate

	Data Year	WEAKLEY	Tennessee	Rank
Health Outcomes				
Mortality (years of potential life lost per 100,000 population)	2007	431.6	485.7	8
Low Birth Weight (%)	2007	6.2%	9.4%	4
General Health Status (% fair/poor health) *	2007	23.9%	20.5%	44
Health Determinants				
Health Care				
No Health Insurance (%) *	2007	19.3%	14.7%	87
Doctors per 100,000 population	2007	59	173	50
Dentists per 100,000 population	2007	25	43	42
Without pneumococcal vaccinations (%) *	2007	72.5%	74.3%	38
Without influenza vaccinations for the last 12 months(%) *	2007	55.2%	58.5%	3
No diabetic eye exams (%)	2007	54.1%	53.6%	54
No diabetic lipid profile (%)	2007	20.2%	18.9%	68
No diabetic HbA1c testing (%)	2007	9.2%	12.3%	10
No mammography within past 2-year Women Aged*50+ (%)	2007	22.9%	19.7%	64
Health Behaviors				
Cigarette smoking (%) *	2007	30.3%	24.3%	76
Mothers smoking during pregnancy (%)	2007	32.5%	19.4%	72
Physical inactivity (% of no exercise for a month)	2007	37.6%	31.5%	58
Overweight/Obesity (% BMI > 30) *	2007	68.1%	67.4%	42
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	44.0%	34.2%	87
Binge drinking (%) *	2007	10.4%	9.0%	73
Teen birth rate per (1,000 females aged 15-19)	2007	31	66	2
Sexually transmitted diseases (per 10,000 population)	2005-07	31	58	62
Violent crime (per 10,000 population)	2007	672	1,034	44
Motor vehicle crash deaths (per 10,000 population)	2007	1.5	2.0	26
Socioeconomic Factors				
High school graduation rate (%)	2006-07	89.8%	82.5%	27
Population (age 18-64) with high school diploma or above (%)	2000	81.0%	74.9%	18
Unemployment rate (%)	Dec, 2008	9.6%	7.9%	51
Children (age 0-17) in poverty ratio (%)	2007	24.9%	18.0%	52
Divorce rate (per 1,000 population)	2007	5.2	4.4	73
Percent of own children in single-parent households	2000	20.3%	24.9%	35
Physical Environment				
Air quality cancer risk (per 1,000,000)	2002	17.4	20.6	37
Air quality hazard index (per 1,000,000)	2002	0.9	1.6	29
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	13.3	13.9	5
Ozone level (ppb) *	2005-07	0.083	0.082	60
Nitrate levels in drinking water (mg/L)	2006-08	2.90	1.25	89
Pre-1950 housing (%)	2000	18.3%	14.3%	76
Lead poisoned children (%)	2007	0.2%	0.3%	54

* Regional Data

WHITE

TENNESSEE INSTITUTE OF PUBLIC HEALTH


How to Read Indicators:

■ Strength

■ Challenge

Strength: Top 25%

Challenge: Bottom 25%



MORTALITY RANK: 35

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

LOCAL HEALTH AT GLANCE::

STRENGTHS

- Diabetic lipid profile
- Dentists
- Diabetic HbA1c testing

CHALLENGES

- Unemployment Rate
- High School Grad Rate
- Children in Poverty

	Data Year	WHITE	Tennessee	Rank
Health Outcomes				
Mortality (years of potential life lost per 100,000 population)	2007	522.5	485.7	35
Low Birth Weight (%)	2007	8.6%	9.4%	41
General Health Status (% fair/poor health) *	2007	22.5%	20.5%	18
Health Determinants				
Health Care				
No Health Insurance (%) *	2007	13.2%	14.7%	15
Doctors per 100,000 population	2007	83	173	29
Dentists per 100,000 population	2007	41	43	18
Without pneumococcal vaccinations (%) *	2007	70.4%	74.3%	17
Without influenza vaccinations for the last 12 months(%) *	2007	57.5%	58.5%	37
No diabetic eye exams (%)	2007	51.5%	53.6%	36
No diabetic lipid profile (%)	2007	15.1%	18.9%	17
No diabetic HbA1c testing (%)	2007	10.0%	12.3%	21
No mammography within past 2-year Women Aged*50+ (%)	2007	17.9%	19.7%	15
Health Behaviors				
Cigarette smoking (%) *	2007	23.5%	24.3%	6
Mothers smoking during pregnancy (%)	2007	26.4%	19.4%	41
Physical inactivity (% of no exercise for a month)	2007	36.5%	31.5%	44
Overweight/Obesity (% BMI > 30) *	2007	65.8%	67.4%	20
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	35.9%	34.2%	28
Binge drinking (%) *	2007	5.7%	9.0%	11
Teen birth rate per (1,000 females aged 15-19)	2007	70	66	70
Sexually transmitted diseases (per 10,000 population)	2005-07	26	58	51
Violent crime (per 10,000 population)	2007	600	1,034	31
Motor vehicle crash deaths (per 10,000 population)	2007	2.0	2.0	34
Socioeconomic Factors				
High school graduation rate (%)	2006-07	80.1%	82.5%	81
Population (age 18-64) with high school diploma or above (%)	2000	70.9%	74.9%	65
Unemployment rate (%)	Dec, 2008	11.9%	7.9%	83
Children (age 0-17) in poverty ratio (%)	2007	29.2%	18.0%	73
Divorce rate (per 1,000 population)	2007	4.5	4.4	50
Percent of own children in single-parent households	2000	21.5%	24.9%	55
Physical Environment				
Air quality cancer risk (per 1,000,000)	2002	16.0	20.6	31
Air quality hazard index (per 1,000,000)	2002	0.9	1.6	32
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	13.6	13.9	25
Ozone level (ppb) *	2005-07	0.081	0.082	5
Nitrate levels in drinking water (mg/L)	2006-08	0.60	1.25	33
Pre-1950 housing (%)	2000	16.3%	14.3%	67
Lead poisoned children (%)	2007	0.0%	0.3%	1


* Regional Data

WILLIAMSON


TENNESSEE INSTITUTE OF PUBLIC HEALTH

How to Read Indicators:

 Strength

 Challenge

Strength: Top 25%
Challenge: Bottom 25%



MORTALITY RANK: **1**

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

LOCAL HEALTH AT GLANCE::

STRENGTHS

- Mortality, YPLL
- Smoking During Pregnancy
- Teen Pregnancy

CHALLENGES

- Air Cancer Risk
- Air Respiratory Risk
- Divorce Rate

Health Outcomes

	Data Year	WILLIAMSON	Tennessee	Rank
Mortality (years of potential life lost per 100,000 population)	2007	214.3	485.7	1
Low Birth Weight (%)	2007	7.9%	9.4%	23
General Health Status (% fair/poor health) *	2007	15.5%	20.5%	2

Health Determinants

Health Care

No Health Insurance (%) *	2007	11.0%	14.7%	1
Doctors per 100,000 population	2007	176	173	11
Dentists per 100,000 population	2007	54	43	7
Without pneumococcal vaccinations (%) *	2007	80.3%	74.3%	84
Without influenza vaccinations for the last 12 months(%) *	2007	61.6%	58.5%	71
No diabetic eye exams (%)	2007	41.9%	53.6%	2
No diabetic lipid profile (%)	2007	14.6%	18.9%	13
No diabetic HbA1c testing (%)	2007	9.1%	12.3%	9
No mammography within past 2-year Women Aged*50+ (%)	2007	14.6%	19.7%	1

Health Behaviors

Cigarette smoking (%) *	2007	25.0%	24.3%	20
Mothers smoking during pregnancy (%)	2007	5.6%	19.4%	1
Physical inactivity (% of no exercise for a month)	2007	24.2%	31.5%	2
Overweight/Obesity (% BMI > 30) *	2007	69.5%	67.4%	51
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	30.0%	34.2%	3
Binge drinking (%) *	2007	11.4%	9.0%	82
Teen birth rate per (1,000 females aged 15-19)	2007	18	66	1
Sexually transmitted diseases (per 10,000 population)	2005-07	13	58	17
Violent crime (per 10,000 population)	2007	355	1,034	7
Motor vehicle crash deaths (per 10,000 population)	2007	1.0	2.0	6

Socioeconomic Factors

High school graduation rate (%)	2006-07	93.8%	82.5%	6
Population (age 18-64) with high school diploma or above (%)	2000	90.7%	74.9%	1
Unemployment rate (%)	Dec, 2008	5.0%	7.9%	1
Children (age 0-17) in poverty ratio (%)	2007	5.7%	18.0%	1
Divorce rate (per 1,000 population)	2007	3.9	4.4	35
Percent of own children in single-parent households	2000	11.0%	24.9%	1

Physical Environment

Air quality cancer risk (per 1,000,000)	2002	29.5	20.6	87
Air quality hazard index (per 1,000,000)	2002	2.9	1.6	86
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	13.6	13.9	25
Ozone level (ppb) *	2005-07	0.077	0.082	1
Nitrate levels in drinking water (mg/L)	2006-08	0.38	1.25	18
Pre-1950 housing (%)	2000	5.6%	14.3%	1
Lead poisoned children (%)	2007	0.3%	0.3%	56

* Regional Data

WILSON

TENNESSEE INSTITUTE OF PUBLIC HEALTH


How to Read Indicators:

■ Strength

■ Challenge

Strength: Top 25%

Challenge: Bottom 25%



MORTALITY RANK: 6

The mortality index measures levels of premature death indicated by years of potential life lost per 100,000 individuals.

LOCAL HEALTH AT GLANCE::

STRENGTHS

- Children in Poverty
- Level of Education
- Mortality, YPLL

CHALLENGES

- Divorce Rate
- Air Cancer Risk
- Air Respiratory Risk

	Data Year	WILSON	Tennessee	Rank
--	-----------	--------	-----------	------

Health Outcomes				
Mortality (years of potential life lost per 100,000 population)	2007	410.9	485.7	6
Low Birth Weight (%)	2007	9.5%	9.4%	63
General Health Status (% fair/poor health) *	2007	15.5%	20.5%	2

Health Determinants				
Health Care				
No Health Insurance (%) *	2007	11.0%	14.7%	1
Doctors per 100,000 population	2007	79	173	32
Dentists per 100,000 population	2007	24	43	48
Without pneumococcal vaccinations (%) *	2007	80.3%	74.3%	84
Without influenza vaccinations for the last 12 months(%) *	2007	61.6%	58.5%	71
No diabetic eye exams (%)	2007	47.2%	53.6%	12
No diabetic lipid profile (%)	2007	15.6%	18.9%	22
No diabetic HbA1c testing (%)	2007	12.7%	12.3%	62
No mammography within past 2-year Women Aged*50+ (%)	2007	14.6%	19.7%	1

Health Behaviors				
Cigarette smoking (%) *	2007	25.0%	24.3%	20
Mothers smoking during pregnancy (%)	2007	17.9%	19.4%	11
Physical inactivity (% of no exercise for a month)	2007	24.2%	31.5%	2
Overweight/Obesity (% BMI > 30) *	2007	69.5%	67.4%	51
Low fruit and veg consumption (% <5 fruit/veg a day) *	2007	30.0%	34.2%	3
Binge drinking (%) *	2007	11.4%	9.0%	82
Teen birth rate per (1,000 females aged 15-19)	2007	45	66	13
Sexually transmitted diseases (per 10,000 population)	2005-07	29	58	58
Violent crime (per 10,000 population)	2007	786	1,034	56
Motor vehicle crash deaths (per 10,000 population)	2007	1.6	2.0	29

Socioeconomic Factors				
High school graduation rate (%)	2006-07	87.9%	82.5%	39
Population (age 18-64) with high school diploma or above (%)	2000	84.6%	74.9%	5
Unemployment rate (%)	Dec, 2008	6.5%	7.9%	9
Children (age 0-17) in poverty ratio (%)	2007	9.9%	18.0%	2
Divorce rate (per 1,000 population)	2007	6.1	4.4	91
Percent of own children in single-parent households	2000	17.9%	24.9%	11

Physical Environment				
Air quality cancer risk (per 1,000,000)	2002	24.4	20.6	78
Air quality hazard index (per 1,000,000)	2002	2.5	1.6	77
Air quality - fine particulate matter in air (Mg/ m3) *	2005-07	13.6	13.9	25
Ozone level (ppb) *	2005-07	0.082	0.082	44
Nitrate levels in drinking water (mg/L)	2006-08	0.66	1.25	36
Pre-1950 housing (%)	2000	9.9%	14.3%	13
Lead poisoned children (%)	2007	0.1%	0.3%	43

* Regional Data